

**University of Texas
CURRICULUM VITAE**



Name: George Davis Bittner
Position: Professor of Neuroscience
Address: Patterson Laboratories, Room 321
Department of Neuroscience
University of Texas
Austin, TX 78712-1064
Phone: (512) 923-3735
Email: bittner@austin.utexas.edu
Website: <https://sites.cns.utexas.edu/bittnerlab>

EDUCATION

9/56- 6/59 Robert E Lee High School, Jacksonville, FL; ranked 1/838 Valedictorian
9/59 - 6/62 Duke University, Durham, NC; A.B., Chemistry. Magna Cum Laude
9/62 - 12/66 Stanford Medical School, Palo Alto, CA; 5-year MD/PhD program. Withdrew in good standing (sixth in class) 12/66 via leave of absence in December of fifth year to devote full time to research.
6/64 - 8/67 Stanford University; Ph.D., Neurological Sciences. Supervising Professor: Dr. Donald Kennedy, Chairman, Biological Sciences, FDA Commissioner, President of Stanford University, Chief Editor of *Science and Scientific American*
11/67 - 6/69 UCLA, Los Angeles, CA; NIH Postdoctoral fellowship with Dr. Jose Segundo, Department of Anatomy/Cell Biology

PROFESSIONAL EXPERIENCE

Adjunct Professor, Orthopedic Surgery, UTHSCSA, 9/23-present
CEO CertiChem 5/00 – 5/22, CEO PlastiPure 5/00 – 6/08, CSO PlastiPure 7/08 – 5/22
Professor, Department of Neuroscience, 9/2013 - present
Professor, Neurobiology Section, School of Biology, 9/98 – 8/2013
Professor, Dept. of Zoology, University of Texas, Austin, TX, 9/82 – 8/98
Adjunct Professor, College of Pharmacy, University of Texas, Austin, TX, 9/87 – 5/05
Associate Professor, Department of Zoology, University of Texas, 9/74 - 8/82
Assistant Professor, Department of Zoology, University of Texas, 9/69 - 8/74
Adjunct Professor, Dept. of Physiology and Biophysics, University of Texas Medical Branch, Galveston, TX, 3/96 - present
Visiting Associate Professor, Department of Physiology, University of Texas Medical School, San Antonio, TX, 9/77 - 8/78
Visiting Associate Professor, Department of Anatomy, Case-Western Reserve University Medical School, Cleveland, OH, 8/75 - 1/76
NIH Postdoctoral Fellow, Dr. Jose Segundo, Department of Anatomy, UCLA, 11/67 - 6/69
NIH Predoctoral Fellow, Dr. Donald Kennedy, Biological Sciences, Stanford University, 1965 - 67
Research Assistant, Dr. Keith Killam, Department of Pharmacology, Stanford University, 1962 - 63

UNIVERSITY ADMINISTRATIVE RESPONSIBILITIES (1985-present)

- Biology Graduate Advisor, 1982 - 1990
- Program Director, Neurobiology Training Grant, 1985 - 1991
- Program Director, Electron Microscope Applications to NIH, NSF, 1985 - 1986
- Organizing Director, Institute for Neuroscience, 1985 - 1986
- Member, Executive Committee, Institute for Neuroscience, 1986 - 1994
- Member, Executive Committee, Institute for Biotechnology, 1988 - 1995
- Natural Science Promotion Committee (2002-2004; Chair, 2003-2004)
- Natural Sciences Courses and Curricula committee (2003-2005)
- CNS Scholarship Committee (2002-present)
- University of Texas Libraries Committee (8/2014-2019); Chair 2017-2018
- Student Conduct Hearing Officer (9/2016-2020)
- Reviewer of 2-5 URF proposals yearly (2018-present)
- CNS FRA committee 2019-2024

PROFESSIONAL SOCIETIES (1985-present*)

Society for Neuroscience*	Neurotrauma Society
A.A.A.S. (Elected Fellow)*	Society for Cell Biology
Society for Neurochemistry	Society for Developmental Neurobiology
American Chemical Society*	Endocrine Society*

PROFESSIONAL AND PUBLIC SERVICE (1985-present)

- Member, NINCDS Review Committee for Program Project Grants, 1986 - 1987
- Member, Advisory Committee for Basic Neuroscience Research, Air Force Office of Sponsored Research, 1987 - 1988
- Vice President, Central Texas Biotechnology Consortium, 1986 - 1989
- Member, Neuroscience Review Committee for Veteran Administration Grants, 1990
- Treasurer, Society for Neuroscience (Austin Chapter), 1985 - 1996
- Member, Biotechnology Committee, Austin Chamber of Commerce, 1987 - 1994
- Member, NSF and Howard Hughes Panels for Predoctoral Fellowships in Neurobiology, 1993 - 1995
- Chair, Neuroscience Panel for Howard Hughes and NSF Predoctoral Fellowships, 1996
- Editorial Review Board, Neural Regeneration Research, 2015-present
- Ad Hoc Reviewer, NIH, NSF Neurobiology Grant Applications in Synaptic Plasticity, Nerve Regeneration, or Glial Function, 1985 – present
- Member, NIH BNVT panel study section, panel to review/score R-01, R-21, U-01, U-03 etc. grant applications. 8/2014.
- Guest Editor, Frontiers in Cellular Neuroscience, Edition on *Restoring Function After Traumatic Peripheral Nerve Injury*. 2021-2022
- Associate Editor, Frontiers in Cellular Neuroscience, 9/22-present

I review 8-15 manuscripts/year total for *Journal of Neurophysiology*, *Journal of Comparative Physiology*, *Science*, *Journal of Neurobiology*, *Brain Research*, *Journal of Neuroscience*, *Toxicology in Vitro*,

Toxicological Sciences, Environmental Health Perspectives, Environmental Health, Neural Regeneration Research, PLOS One, J. Neuroinflammation, Progress in Neurobiology

INVITED SEMINARS/PRESENTATIONS (2005-present)

1. Robert Wood Johnson Medical School, Piscataway, NJ (Apr 2005)
2. NIEHS Campus, Research Triangle Park, NC (Apr 2005; Aug 2006)
3. Lone Star Paralysis Foundation, Austin, TX (May 2006)
4. Brain, Spine Center, Brackenridge Hospital, Austin, TX (Nov 2006)
5. Dept. of Biology, North Carolina State University, Raleigh, NC (Mar 2007)
6. *Detection of estrogenic activity in plastics.* Breast Cancer Foundation/Fund San Francisco, CA (Jan 2008)
7. *Axonal repair using polyethylene glycol.* Lone Star Paralysis Foundation, Austin, TX (Apr 2008)
8. *Detection of estrogenic activity.* NIH/NIEHS Campus Raleigh, NC (Mar 2009)
9. *A Robotic MCF-7 Cell Proliferation Assay to Detect Estrogen Receptor Agonists and Antagonists.* Society of Toxicology, Salt Lake City, UT (2010)
10. *Almost all plastics release chemicals having estrogenic activity: a health problem that can be solved.* NIEHS Campus, Research Triangle Park, NC (Jan 2011)
11. *Rapid Repair of Severed Nerve Axons.* Dept. of Orthopedic Surgery, Harvard Medical School, Boston, MA (Dec 2011)
12. *Rapid Repair of Severed Nerve Axons.* Dept. of Biology, Concordia University, Austin, TX (Feb 2012)
13. *Rapid Repair of Severed Nerve Axons.* Dept. of Psychology, University of Texas at Austin, Austin, TX (Feb 2012)
14. *Rapid Repair of Severed Nerve Axons.* Dept. of Anatomy/Cell Biology, Wayne State Medical School, Detroit, MI (Feb 2012)
15. *Rapid Repair of Severed Nerve Axons.* Dept. of Orthopedic Surgery, U. Miami Medical School, Miami, FL (Mar 2012)
16. *Rapid Repair of Severed Nerve Axons.* Dept. of Biology, North Carolina State University, Raleigh, NC (Apr 2013)
17. *Rapid Repair of Severed Nerve Axons.* Dept. of Biomedical Engineering, North Carolina State University, Raleigh, NC (Apr 2013)
18. *Rapid Repair of Severed Nerve Axons.* Dept. of Neurosurgery, Duke University Medical School, Durham, NC (Apr 2013)
19. *Rapid Repair of Severed Nerve Axons.* Dept. of Orthopedics and Plastic Surgery and Neuroscience Program, Wake Forrest Medical School, Winston-Salem, NC (Apr 2013)
20. *Plastics and Chemicals in the Environment.* Sierra Club, Austin, TX (Sep 2013)
21. *Bioengineered repair of severed limb nerves.* UT Quest, Austin, TX (Mar 2014)
22. *Rapid restoration of behaviors lost after completely severing peripheral limb nerves: It's not just for Luke Skywalker and (Mr.) Crabs anymore.* Dept. Biology, U. Virginia, Charlottesville, VA (Oct 2014)
23. *Rapid restoration of behaviors lost after completely severing peripheral limb nerves: It's not just for Luke Skywalker and (Mr.) Crabs anymore.* University of Indiana Medical School. Indianapolis, IN (Mar 2015)
24. *Biotech Advances in Hormone Free products.* UT Quest, Austin, TX (Mar 2015)
25. *A battery of in vitro assays to detect estrogenic activity.* ICCVAM Conference, NIH (May 2016)

26. *Axonal repair by PEG-fusion*. Metis Foundation, San Antonio, TX (Oct 2019)
27. *Rapid repair of severed axons*. UT Lifelong Learning, Austin, TX (Oct 2019)
28. *Rapid Repair of severed axons by PEG-fusion*. Johns Hopkins Medical School, Baltimore, MD (Dec 2019)
29. *Rapid Repair of severed axons by PEG-fusion*. U. of Illinois Med School, Chicago, IL (Jun 2020)
30. *Rapid Repair of severed axons by PEG-fusion*. U. of Wyoming, Laramie, WY (Mar 2021)
31. *Rapid Repair of severed axons by PEG-fusion*. Am. Assoc. Neurosurgeons (Apr 2022)
32. *Rapid, effective and permanent repair of severed peripheral and spinal axon*. Dept. of Orthopedics and Plastic Surgery, Baylor Medical School, Houston, TX (Aug 2023)
33. *Rapid repair of Peripheral and Spinal axons: It's not just for Luke Skywalker anymore*. Dept. of Neuroscience and Orthopedics, University of Pennsylvania, Philadelphia, PA (2024)
34. *Traumatic Spinal Cord Injuries Successfully Repaired by a Combination of Novel, Recently Patented, Multi-disciplinary Technologies*. Texas Health Catalyst Symposium, Austin, TX (Jan 2025)

AWARDS AND HONORARY SOCIETIES

First Prize, Florida State Science Fairs, 1958, 1959
Valedictorian, Robert E. Lee High School (Class size ~800)
Phi Eta Sigma, Freshman Honorary, Duke University, 1959 - 1960
Phi Beta Kappa, Phi Eta Sigma, Duke University, 1962
A.B., Magna Cum Laude, Duke University, 1962
NIH, NSF predoctoral fellowships, Stanford University, 1965 - 1966
NIH postdoctoral fellowship, UCLA, 1967 - 1969
Fellow, Neurosciences Study Program, Boulder, CO, Summer 1969
NIH Career Development Award, 1975-1980
Elected Fellow, American Association for the Advancement of Science, Spring, 1994
ICCVAM/NICEATM Advisory panel, 2018-2021

UNIVERSITY AND DEPARTMENTAL COMMITTEES (1985-present)

Zoology, Long Range Planning Committee, 1984 - 1986
Zoology, Chairman Recruitment Committee, 1985 - 1986
Faculty Advisor Graduate Fellows Program, 1985 - 1986
Selection Committee, Churchill Scholar Program, 1985 - 1987
Plan II Advisory Committee, 1986 - 1990
Zoology Computer Committee, 1987 - 1990
Zoology, Admissions Committee, 1989 - 1990
Dean's Committee to Revise Plan II Curriculum, 1986 - 1992
Zoology, Cell Biology Search Committee (Chair), 1991 - 1992
Zoology, Departmental Visiting Committee, 1988 - 1993
Dean of Natural Science, Industrial Associates Committee, 1988 - 1994
Zoology Electron Microscope Committee, 1985 - 1998
Zoology, Industrial Liaison, 1988 - 1996
Zoology, Fellowship Committee, 1990 - 1998
Natural Sciences Courses and Curricula committee (2003-2005)
Biology Fellowship Committee (1999-2018)
CNS Scholarship Committee (2002-present)
University of Texas Libraries Committee (8/2014-8/2020); Chair (9/2018- 8/2019)
Student Conduct Hearing Officer (9/2016-2020)

Reviewer URF proposals (2018-present)

Letters of recommendation for 8-15 students/yr to graduate/medical schools (2000-present)

Reviewer for Faculty Research Assignment Competition. (2020- present)

COURSES TAUGHT

Undergraduate Courses

1. Mammalian Physiology (Zoology 465M)
2. Vertebrate Physiology (Zoology 365L, Biology 365R, NEU 365R)
3. Vertebrate Physiology Laboratory (Zoology 165P)
4. Human Physiology (Zoology 316K)
5. Structure and Function of the Mammalian Central Nervous System (Zoology 371L)
6. Physiology of Organismic Adaptations (Zoology 363L, 363M)
7. Adaptive Physiology Laboratory (Zoology 263P)
8. Current Limits of Scientific Knowledge (TC 659: Plan II Honors Section)
9. The Neuronal Basis of Brain and Behavior (Zoology 371L, Biology 371M)
10. Comparative Physiology (Biology 361T)
11. Nerve Regeneration in Invertebrates and Vertebrates. Writing component course (NEU 337 or NEU365N)
12. BIO 370C Directed reading course to 2-5 undergraduates Fall, Spring, and summer semesters 2019-present

Graduate Courses

1. Advanced Cell Biology (Zoology 388M)
2. Principals of Neuroscience (Zoology 688QA, B; NEU 382T; NEU 383T, BIO 437; NEU 482T)
3. Developmental Neurobiology (Zoology 390K; Biology 390K)
4. Adaptive Physiology of Marine Organisms (MNS 382.12 at The University of Texas Marine Station at Port Aransas)
5. Cellular Neurobiology (Anatomy 449 at Case Western Reserve University)
6. Basic Properties of Nerve Cells: Axonal Conduction and Synaptic Transmission (Zoology 385L.13a; Biology 381K))
7. Basic Properties of Nerve Cells: Trophic Interactions and Regeneration (Zoology 385L.13b; Biology 381K)
8. Current Concepts in Cellular/Molecular Neuroscience (Zoology 385L.15; Biology 381K))
9. Neurophysiology of Nerve and Muscle, (UTSA Department of Physiology)
10. Environmental Physiology (Marine Science 354 at The University of Texas Marine Science Institute, Port Aransas, TX)
11. Basic Properties of Nerve Cells: Metabolic, Glial-Neuronal, and Regeneration. (BIO. 381K.10/NEU 385L.1).
12. Nerve Regeneration in Invertebrates and Vertebrates (NEU 381N.1, NEU 381N)

INDIVIDUAL INSTRUCTION

Supervision of Undergraduate Students

I perform a significant amount of individual research instruction with undergraduates who often register for BIO research courses, Biology Honors, or Plan II thesis courses. Whether they officially register or not, each student makes a commitment to work 10-20 hours per week for at least 18 months and to take a series of courses in cell, molecular, and/or neurobiology to give them an appropriate conceptual and factual basis for their research. By the time they

graduate, most such students are a co-author in at least one peer-reviewed publication and participate in weekly lab journal club/data presentation meeting. Those undergraduate students in my lab doing such meeting such criteria since 2011 were as follows (*currently active):

<u>Undergraduate student</u>	<u>Time in lab</u>
Cameron Ghergherehchi	2011-2015
Christopher Driscoll	2012-2014
Robert Hastings	2012-2014
Chris McGill	2012-2018
Colton Riley	2012-2014
Ti Ha	2013-2015
Nicholas Munoz	2013-2015
Andrew Poon	2014-2018
Monika Pyarali	2013-2016
Michael Bounajem	2014-2016
Alex Mazal	2014-2016
Aakarshita Bansal	2015-2016
Patrick Dunne	2015-2017
Maui Gutterrez	2014-2017
Nicole Wong	2015-2017
Amir Ali	2015-2018
Zach Burgess	2016-2017
Adrian Gorszawski	2016-2017
Sarah Nguyen	2016-2019
Matthew Hooper	2016-2018
Karthik Jagannath	2016-2018
Edward Kang	2017-2019
Milki Negeri	2018-2019
Meghana Gogineni	2018-2019
Kenneth Pham	2018-2020
Ted Zhao	2018-2020
Bryan Nyakiti	2018-2021
Shruti Kumar	2018-2019
Sara Vargas	2018-2020
Monzer Alatrach	2018-2021
Grace Massamillo	2018-2019
Sruja Arya	2019-2023
Mario Carrera	2019-2023
Razan Hussein	2019-2020
Vanessa Nuval	2019-2020
Marshal Mencil	2019-2021
Anirudh Sudarshan	2020-2021
Rhea Sachdeva	2020-2022
Menizhe Mohsin	2021-2023
Anish Pandya	2021-2022
Yessennia Montoya	2021-2024
Alexa Olivarez	2021-2023
Karthik Venkudusamy	2021-2024
Jesus Jimenez	2022-2022
Stone Nwamadi	2022-2022
Anaya Sampathkumar	2022-2022
*Varun Gokhale	2023-present
Zeal Pathak	2023-2024

Guhan Periyasamy	2023-2026
Rhea Sood	2023-2025
Arjun Agarwal	2023-2025
Seo yun (Christina) Kim	2023-2024
*Yiming (Grace) Hao	2024-present
*Neha Nagarajan	2024-2026
Sreekriti Sista	2024-2024
*Sushant Sanklipur	2024-present
*Anjana Bhat	2025-present
*Ariane Lee	2025-present
Jagshree Shastri	2025-2026
*Amy (Jia) Zhou	2025-present
*Olivia Morgan	2025-present
*Padma Jaghannaathan	2025-present
*Piya Mehta	2026-present
*Krish Khilnani	2026-present

Many undergraduates in my laboratory (Aesher, Baskind, Cummings, Farnam, Garcia, Hsu, Lichstein, Loftin, Lusco, Nguyen, Storm, Thomas, Truchard, and Weiner) have been awarded NIH or Howard Hughes Fellowships for the summer, four (Bobb, Eddleman, Sterkenburg, and Todora) have been awarded fellowships at Woods Hole, and five (Bobb, Brown, Loftin, Sunio, Wade, Vargas, Montoya) have been awarded ATP or other Minority Fellowships. 5 undergraduates received from UT received \$1,000 research fellowship funds (Carrera, Arya, Zhao, Alatrach, Marcel, Sood) for supplies & animals and two received summer fellowships of \$2500 (Arya), \$4000 (Montoya), or 6,000 (Vargas) or about \$17,500 total.

Almost all undergraduates in my laboratory have been admitted to excellent medical or graduate schools (Cummings - Cell and Molecular Biology, UCSF; Cobb - Biology, UC Berkeley; Storm - Cell and Molecular Biology, Stanford; Truchard - Biology, UC Berkeley; Todora - Neurobiology, Harvard; Weiner - Cell and Molecular Biology, UCSF; Hristov – Johns Hopkins Medical School; Marzullo – Neuroscience, Univ. of Michigan; Truong –University of Texas Medical School at Houston; Rossano, Driscoll, Burgess: UT Medical School San Antonio; Covington/Figard – Rice University; Boydston, Ha-Southwestern Medical School, Hastings: Neuroscience, Texas A&M, Riley: Georgetown Medical School. Mazal-Southwestern Medical School: Pyarali-Baylor Medical School; McGill, Yale; Ali, Jagannath: UT Medical School, Houston; Zhao-UT Medical School Houston; Alatrach- UT Medical School; El Paso; Arya-Southwestern Medical School; Venkudusamy- Baylor). Many have won Research Grants or other honors at UT (Cummins, Hsu, Truchard, Todora, Weiner, Rossano, Robinson, Jang, Covington, Boydston, Ha, Pyarali, Mazal, Kang, Poon, McGill, Mencil, Vargas, Carrera, Venkudusamy, Sood)

Publications since 1996 of former undergraduates (asterisked):*

1. T.D. Raabe, T. Nguyen*, and G.D. Bittner. 1996. Calcium activated proteolysis of neurofilament proteins in goldfish Mauthner axons. J. Neurobiol. 6:253-261.
2. T.D. Raabe, T. Nguyen*, C. Archer*, G.D. Bittner. 1996. Mechanisms for the maintenance and eventual degradation of neurofilament proteins in the distal segments of severed goldfish Mauthner axons. J. Neurosci. 16:1605-1613.
3. O. Weiner*, A.M. Zorn, P.A. Krieg, and G.D. Bittner. 1996. Medium weight neurofilament mRNA in goldfish Mauthner axoplasm. Neurosci. Lett. 213:83-86.
4. Sunio* and G.D. Bittner. 1997. Cyclosporin retards the Wallerian degeneration of peripheral mammalian axons. Exp. Neurol. 146:46-56.
5. C.S. Eddleman*, M.L. Ballinger, M.E. Smyers, C.M. Godell*, H.M. Fishman, and G.D. Bittner. 1997. Repair of plasmalemmal lesions by vesicles. PNAS 94:4745-4750.
6. C.M. Godell*, M.L. Ballinger, C.S. Eddleman*, M.E. Smyers, H.M. Fishman, and G.D. Bittner. 1997. Calpain promotes the sealing of severed giant axons. PNAS 94:4751-4756.

7. M.L. Ballinger, A.R. Blanchette, T.L. Krause*, M.E. Smyers, H.M. Fishman, and G.D. Bittner. 1997. Delaminating myelin membranes help seal the cut ends of severed earthworm giant axons. *J. Neurobiol.* 33:945-960.
8. C.S. Eddleman*, M.L. Ballinger, M.E. Smyers, H.M. Fishman, and G.D. Bittner. 1998. Endocytotic Formations of vesicles and other membranous structures induced by Ca^{2+} and axoplasmic injury. *J. Neurosci.* 18:4029-4041.
9. C.S. Eddleman*, M.E. Smyers, A. Lore*, H.M. Fishman, and G.D. Bittner. 1998. Anomalies associated with dye exclusion as a measure of axolemmal repair. *Neurosci. Lett.* 256:13-126.
10. A.B. Lore*, J.A. Hubbell, D.S. Bobb Jr., M.L. Ballinger, K.L. Loftin*, J.W. Smith*, M.E. Smyers, H.D. Garcia*, and G.D. Bittner. 1999. Rapid induction of functional and morphological continuity between severed ends of mammalian or earthworm myelinated axons. *J. Neurosci.* 19:2442-2454.
11. J.W. Lichstein*, M.L. Ballinger, A.R. Blanchette, H.M. Fishman, and G.D. Bittner. 1999. Structural changes at the cut ends of earthworm giant axons in the interval between dye barrier formation and Neuritic outgrowth. *J. Comp. Neurol.* 416:143-157.
12. C.S. Eddleman*, G.D. Bittner and H.M. Fishman. 2000. Barrier permeability at cut axonal ends progressively decreased until an axonal seal is formed. *Biophys. J.*, 79:1883-1890.
13. E. Detrait, C.S. Eddleman, S. Yoo, M. Fukuda, G.D. Bittner and H.M. Fishman. 2000. Axolemmal repair requires proteins that mediate synaptic vesicle fusion. 2000 *J. Neurobiol.* 44:382-391.
14. E. Detrait, S. Yoo, T. Nguyen*, C.S. Eddleman, M. Fukuda, G.D. Bittner, and H.M. Fishman. 2000. Repair of severed neurites of PC 12 cells requires divalent cations and a conserved region of synaptotagmin. *J. Neuroscience Research.* 62:566-573
15. T. C. Marzullo*, J.S. Britt*, R. Stavisky and G.D. Bittner. 2002. Cooling enhances in vitro survival and fusion-repair of severed axons taken from the peripheral and central nervous system of rats. *Neuroscience Letters.* 327:9–12.
16. C.S. Eddleman*, G.D. Bittner, and H.M. Fishman. 2003. SEM comparison of severed ends of giant axons isolated from squid (*Loligo pealei*) and crayfish (*Procambarus clarkii*). *Biol Bull.* 203: 219 – 220.
17. S. Yoo, M. P. Nguyen*, M. Fukuda, G. D. Bittner, and H. M. Fishman. 2003. Plasmalemmal sealing of transected mammalian neurites is a gradual process mediated by Ca-regulated proteins. *J. Neurosci. Res.* 74:541-551.
18. R. C. Stavisky, J. M. Britt*, T. Pham*, T. C. Marzullo* and G. D. Bittner. 2003. Wallerian Degeneration of mammalian PNS and CNS axons is accelerated by incubation with protein synthesis inhibitors. *Neuroscience Res.* 47: 445 – 449.
19. R.C. Stavisky, J.M. Britt*, A. Zuzek*, E. Truong* and G.D. Bittner. 2005. Melatonin enhances the in vitro and in vivo repair of severed rat sciatic axons. *Neurosci. Letters*, 98-101.
20. M. G. Nguyen*, G.D. Bittner, and H.M. Fishman, H.M. 2007. Critical interval of sodium calcium transient after neurite transaction determines B104 cell survival. *J. Neurosci. Res.*, 805-816.
21. J. M. Britt*, J.R. Kane, C.S. Spaeth, A. Zuzek*, G.L. Robinson*, M.Y. Gbanaglo, C.J. Estler*, E.A. Boydston*, T. Schallert, T and G.D. Bittner. (2010). Polyethylene glycol rapidly restores axonal integrity and improves the rate of motor behavior recovery after sciatic nerve crush injury. *J Neurophysiol.*, 104: 695-703
22. C. S. Spaeth, E.A. Boydston*, L.A. Figard*, A. Zuzek* and G.D. Bittner (2010). A model for sealing plasmalemmal damage in neurons and other eukaryotic cells. *J. Neurosci.* 30: 15790-15800.
23. Spaeth CS, Fan, GD*, Spaeth EB, Robison T*, Wilcott RW*, Bittner GD (2012) Neurite transection produces cytosolic oxidation which enhances plasmalemmal repair. *J Neurosci Res.* 90:945-954

24. Spaeth CS, Robison TR, Fan, JD, Bittner GD (2012) Cellular mechanisms of plasmalemmal sealing and axonal repair by polyethylene glycol and methylene blue. *J. Neurosci. Res.* 90:955-966.
25. Bittner, GD C.P. Keating, J. R. Kane, J.M. Britt*, C. S. Spaeth J. D. Fan*, A. Zuzek*, R. W. Wilcott*, W. P. Thayer, J.M. Winograd, F. Gonzalez-Lima and T. Schallert. (2012) Rapid, effective and long-lasting behavioral recovery produced by microsutures, methylene blue
26. and polyethylene glycol after complete cut of rat sciatic nerves. *J Neurosci Res.* 90:967-980.
27. Spaeth CS, Boydston EA*, Wilcott RW*, Fan JD*, Robison T*, Bittner, GD (2012) Pathways for plasmalemmal repair mediated by PKA, Epac and cytosolic oxidation in rat B104 cells *in vitro* and rat sciatic axons *ex vivo*. *Devel Neurol.*, 72: 1399-1414.
28. Zuzek A*, Fan JD*, Spaeth CS, Bittner GD. 2013. Sealing of transected neurites of rat B104 cells requires a diacylglycerol PKC-dependent pathway and a PKA-dependent pathway. *Cell Molec Neurosci.* 33: 31-46.
29. Rodriguez-Feo CL, K.W. Sexton, R. B. Boyer, A. C. Pollins, N. L. Cardwell, L. B. Nanney, R. B. Shack, M. A. Mikes, C. H. McGill*, C. W. Driscoll*, G. D. Bittner, W. P. Thayer. 2013. Blocking the P2X7 Receptor Improves Outcomes After Axonal Fusion. *J. Surgical Research.* 184(1):705-13. doi: 10.1016/j.jss.2013.04.082.
30. K.W. Sexton, A.C. Pollins, N. L. Cardwell, G. A. Del Corral, G. D. Bittner, R. B. Shack, L. B. Nanney, W. P. Thayer. 2012. Hydrophilic polymers enhance early functional outcomes after nerve autografting. *J. Surgical Res.* 177:392-400. doi: 10.1016/j.jss.2012.03.049. PubMed PMID: 22521220; PubMed Central PMCID: PMC4096106.
31. D.C. Riley*, G.D. Bittner, M.A. Mikes, N.L. Cardwell, A.C. Pollins, C.L. Ghergherehchi*, S.R. Bhupanapadu Sunkesula, T.N. Ha*, B.T.D. Hall*, A.D. Poon*, M. Pyarali*, R.B. Boyer, A.T. Mazal*, N. Munoz*, R.C. Trevino, T.Schallert, W.P. Thayer. (2014) PEG-fused allografts produce rapid behavioral recovery after ablating sciatic nerve segments. *J. Neurosci. Res.* Apr;93(4):572-83. doi: 10.1002/jnr.23514. PubMed PMID: 25425242; PubMed Central PMCID: PMC4329031.
32. G.D. Bittner, D.R. Sengelaub, R.C. Trevino, J.D. Peduzzi, M. Mikes, C.L. Ghergherehchi*, T.Schallert, W.P. Thayer. 2015. The curious ability of PEG-fusion technologies to restore lost behaviors after nerve severance. *J Neurosci Res.* 94: 207-230. Online 3 Nov.2015. doi. 1002/jnr 23685
33. C. L. Ghergherehchi*, G. D. Bittner, R. L. Hastings*, M. Mikes, D. C. Riley*, R. C. Trevino, T. Schallert, W. P. Thayer, S. Raju Bhupanapadu Sunkesula, T-A. N. Ha*, N. Muno*, M. Pyarali*, A. Bansal*, A. D. Poon*, A. T. Mazal*, T. A. Smith, N. S. Wong*, P. J. Dunne*. 2015. Effects of extracellular calcium and surgical techniques on restoration of axonal continuity by PEG-fusion following complete cut- or crush-severance of rat sciatic nerves. *J Neurosci Res.* 94:231-235. Doi. 10.1002/jnr23704 . Epub Jan 5, 2016
34. G.D. Bittner, M. Mikes, C. L. Ghergherehchi*. 2016. PEG-fusion retards Wallerian degeneration and rapidly restores behaviors lost after nerve severance. *Neural Regen. Res.* 11:217-219. Doi 10.4103/1673-5374.177716
35. C.H. McGill*, S. R. Bhupanapadu Sunkesula, A.D. Poon*, M. Mikes, G. D. Bittner 2016. Sealing Frequency of B104 Cells Declines Exponentially with Decreasing Transection Distance from the Axon Hillock. *Exp. Neurol.* 279:149-158. doi:10.1016/j.expneurol.2016.02.001 G.D. Bittner, D.R. Sengelaub, R.C. Trevino, C.L. Ghergherehchi*, M. Mikes. 2017. Robinson and Madison have published no data on whether polyethylene glycol fusion repair prevents reinnervation accuracy in rat peripheral nerve. *J Neurosci Res.* 863-866. doi: 10.1002/jnr.23849. Epub 2016 Aug 12.

36. George D. Bittner, Christopher S. Spaeth, Andrew D. Poon*, Zachary S. Burgess*, Christopher H. McGill*. 2016. Repair of traumatic plasmalemmal damage to neurons and other eukaryotic cells. *Neu. Regen. Res. Exp. Neurol.* 279:149-158. doi:10.1016/j.expneurol.2016.02.001
37. G.D. Bittner, M. Mikes, C. L. Ghergherehchi. 2016. PEG-fusion retards Wallerian degeneration and rapidly restores behaviors lost after nerve severance. *Neural Regen. Res.* 11:217-219. Doi 10.4103/1673-5374.177716
38. Bittner GD, Sengelaub DR, Trevino RC, Ghergherehchi CL, Mikes M (2017) Robinson and Madison have published no data on whether polyethylene glycol fusion repair prevents reinnervation accuracy in rat peripheral nerve. *J Neurosci Res* 95:863-866. doi: 10.1002/jnr.23849. PMC5241247.
39. GD Bittner, DL Sengelaub, CL Ghergherehchi*. 2018. Conundrums and confusions regarding how PEG-fusion produces excellent behavioral recovery after peripheral nerve injuries. *Neural Regeneration Research.* 13: 53-57.
40. Andrew D. Poon*, Sarah H. McGill*, Solomon Raju Bhupanapadu Sunkesula, Zachary S. Burgess*, Patrick J. Dunne*, Edward E. Kang* and George D Bittner. 2018. CaMKII and DMSO affect the sealing frequencies of transected hippocampal neurons. *J. Neurosci. Res.* 96:1208-1222.
41. Mikes M, Ghergherehchi CL*, Hastings RL*, Ali A, Rahesh S*, Jagannath K*, Sengelaub DR, Trevino RC, Jackson DM, Bittner GD. 2019. Polyethylene glycol solutions rapidly restore and maintain axonal continuity, neuromuscular structures and behaviors lost after sciatic nerve transections in female rats. *J. Neurosci. Res.* 96: 1223-1242.
42. Mikes M, Ghergherehchi CL*, Rahesh *, Jagannath K*, Ali A*, Sengelaub DR, Trevino RC, Jackson DM, Tucker HO, Bittner GD. 2019. Polyethylene glycol treated allografts not tissue matched nor immunosuppressed rapidly repair sciatic nerve gaps, maintain neuromuscular functions, and restore voluntary behaviors in female rats. *J. Neurosci. Res.* 96:1243- 1264.
43. Ghergherehchi CL*, Mikes M, Sengelaub DR, Jackson DM, Smith T, Shores JT, Bittner GD. (2019) Polyethylene glycol (PEG) and other bioactive solutions with neurorrhaphy for rapid and dramatic repair of peripheral nerve lesions by PEG-fusion. *J Neurosci Methods.* 314:1-12.
44. Vargas SA* and Bittner GD. 2019. Natural mechanisms and artificial PEG-induced mechanism that repair traumatic damage to the plasmalemma in eukaryotes. *Current Topics in Membranes: Plasma Membrane Repair.* 84: 129-167.
45. Liwen Zhou, Monzer Alatrach*, Ted Zhao*, Paul Oliphint, George D. Bittner. 2023 Differential survival of segments of rat sciatic nerves preserved in different storage solutions assessed by novel electrophysiological and morphological criteria. 2023. *Neural Regeneration Research.* 18:2082-2088. <https://doi.org/10.4103/1673-5374.367848>
46. Marshal Mancel* and George D. Bittner. 2023. Repair of traumatic lesions to the plasmalemma of neurons and other cells: commonalities, conflicts, and controversies. *Frontiers in Cellular Neuroscience.* *Neural Regeneration Research.* 18:2082-2088. <https://doi.org/10.4103/1673-5374.367848>
47. L Zhou, K Venkudusamy*, E Hibbard, Y Montoya*, A Olivarez*, CZ Yang, A Leung, V Gokhale*, G Periyasamy*, Z Pathak*, D Sengelaub, GD Bittner. 2023. Polyethylene glycol fusion repair of severed sciatic nerves results in accelerated recovery of mechanical pain perceptions without causing allodynia or hyperalgesia. *Neural Regen Res.* DOI:10.4103/NRR.NRR-D-23-01846.
48. E Hibbard, L Zhou, CZ Yang, K Venkudusamy*, Y Montoya*, GD Bittner, D. Sengelaub.2023. Polyethylene glycol fusion repair of severed rat sciatic nerves reestablishes axonal continuity and reorganizes sensory terminal fields in the spinal cord. *Neur. Regen. Res.* PMID: 38845228.
49. Liwen Zhou, Cathy Z. Yang, Alexander M. Schafer, Alexa N. Olivarez*, Arjun Agarwal*, Guhan Periyasamy*, Karthik Venkudusamy*, Yessenia Montoya*, Varun Gokhale*, Rhea Sood*, Henry

- Garcia, Jared S. Bushman and George D. Bittner. (2025) Successful PEG-fusion repairs using stored viable peripheral nerve allografts. Neural Regeneration Research. DOI: [10.4103/NRR.NRR-D-23-01846](https://doi.org/10.4103/NRR.NRR-D-23-01846).
50. Cathy Z. Yang, Liwen Zhou, Alexander M. Schafer, Alexa N. Olivarez*, Guhan Periyasamy*, Varun Gokhale*, Rhea Sood*, Henry Garcia, Arjun Agarwal*, Joseph F. Alderete, George D. Bittner. PEG-fusion of viable sciatic nerve isografts restores axonal structure and behavioral recovery after segmental-loss sciatic nerve injuries in Lewis rats. 2026. PLOS One. In Press. DOI: 10.1371/journal.pone.0349204
 51. Henry Garcia, Guhan Periyasamy*, Varun Gokhale*, Liwen Zhou, Alexander M. Schafer, Neha Nagarajan*, Alexa N. Olivarez*, Sushant Sanklipur*, Yiming Hao*, George D. Bittner. Local and non-local sensitization following repetitive von Frey filament testing in unoperated Sprague-Dawley and Lewis rats. 2026. J. of Sensory Neuroscience. In Press. DOI: 10.1002/sen2.70033
 52. Alexa N. Olivarez*, Cathy Z. Yang, Liwen Zhou, Michelle Mikesch, Cameron L. Ghergherehchi*, Henry A. Garcia, Alexander M. Schafer, Guhan Periyasamy*, Phuong Vy Nguyen, Yiming Hao*, Arjun Agarwal*, Varun Gokhale*, Rhea Sood*, Neha Nagarajan*, Sushant Sanklipur*, George D. Bittner. Delayed repair of singly transected and segmental-loss peripheral nerve injuries using optimized PEG-fusion procedures and stored viable peripheral nerve allografts. 2026. Journal of Translational Medicine. In Press. <https://doi.org/10.1186/s12967-026-08573-5>

Submitted in Review 2026

- He, Weilong; Yang, Cathy; Shi, Xi; Wang, Yanxing; wang, wenliang; Schafer, Alexander; Artman, Brinkley ; Zhou, Liwen; Liu, Xiangping; Yu, Sihan; Tang, Kai Wing Kevin; Jeong, Jinmo; He, Zhecheng; Lozano, Anakaren; Garcia, Henry; Olivarez, Alexa*; Seeley, Erin; Ren, Pengyu; Bittner, George D.; Wang, Huiliang. 2026. Machine-Learning-Guided Design of Host–Guest Nanotherapeutics for Ultrasound-Programmable Drug Delivery in Pain Management. Submitted to Journal of American Chemical Society.
- Marshal L. Mencil*, George D. Bittner. Vesicle migration to plasmalemmal lesions depends on both active transport and passive cytoplasmic bulk flow in crayfish giant axons and *Xenopus* oocytes: implications for all eukaryotic cells. 2026. FASEB. Under Review.
- Marshal L. Mencil*, George D. Bittner. Hagen-Poiseuille distributed-pressure model of osmotically-driven cytoplasmic flow in severed axons. 2026. Submitted to Biophysics Journal.

In preparation

- Marshal L. Mencil*, Rhea Sood*, Varun Gokhale*, George D. Bittner. Plasmalemmal repair in a eukaryotic model cell: plug and patch mechanisms coexist in crayfish medial giant axons. 2026. To be submitted to the Journal of Cell Biology.
- Marshal L. Mencil*, George D. Bittner. Artificially-induced plasmalemmal sealing of transected axons. 2026. To be submitted to Nature Neuroscience.

GRADUATE STUDENT SUPERVISION (Last known position)

1. M.A. Degrees: Completed

1. R.T. Kopanda. 1973. Trophic interactions in the crayfish, *Procambarus clarkii*. Deputy Director of ADAMHA.
2. L. Boone. 1973. Trophic dependencies in a crustacean muscle. Currently a practicing M.D.
3. M. Nitzberg. 1973. Ultrastructural changes in transplanted segments of crustacean peripheral nerves. Currently a science advisor to a computer firm.

4. Obichere Nwabuko. 1976. The roles of calcium in vertebrate muscle contraction. Current position unknown.
5. M.S. Bouton. 1980. Mechanisms of axonal regeneration in crayfish motor axons. Currently a practicing M.D.
6. Todd Miller. 1990. Role of synapsin in neurotransmitter release. Current position unknown.
7. Melva Avalos. 1990. The effect of pentobarbital on pre- and postsynaptic channels at crayfish neuromuscular junctions. Current Position Unknown.
8. Guillermo Espinoza. 1992. Morphological correlates of longterm potentiation at hippocampal synapses. (Co-directed with Dr. Abraham Amsel of Psychology).
9. Tonya Thompson. 1992. Neurochemistry of monoamine oxidase enzymes and neurotoxins. (Co-directed with Dr. Creed Abell, Department of Pharmacology). Practicing MD..
10. Qi-Quan Huang. 1993. Molecular biology of muscle development. (Co-directed with Kuan Wang of Biochemistry). Research associate in Canada.
11. Tia Sea. 1993. Effect of temperature on survival of severed distal stumps of mammalian axons. Currently a practicing nurse.
12. Cecilia Smith. 1994. Neurite outgrowth in organ culture. Address Unknown
13. Chris Godell. 1995. Calpain-induced sealing of severed nerve axons. Practicing MD..
14. Arisa Sunio. 1995. The immunosuppressant cyclosporin A retards the degeneration of distal segments of mammalian axons. Research Associate, Southwestern Medical School, Dallas, TX.
15. Adam Blanchette. 1998. Changes in configuration and location of membranous structures that seal the cut ends of earthworm giant axons. Currently a Research Associate at UT Medical School, San Antonio, TX

*2. Ph.D. Degrees:
Completed*

1. Milton P. Charlton. 1975. Parameters of transmitter release in squid synapses. Professor Emeritus of Physiology at Toronto University.
2. Lawrence W. Powers. 1975. Physiological and ecological correlates of burrowing behavior in fiddler crabs. Professor and Chairman, Department of Medical Technology, University of South Alabama, Mobile, AL.
3. Mark E. Meyer. 1977. Histological and biochemical studies of trophic dependencies in crayfish giant axons. Professor of Biology at University of Washington (Seattle).
4. Stewart C. Birse. 1979. Mechanism and specificity of giant axon regeneration in the earthworm central nervous system. Practicing M.D.
5. Claire E. Hulsebosch. 1979. Regeneration of axons and cell bodies in the central nervous system of annelids: a test of the neuron addition hypothesis. Professor of Anatomy at U.T. Medical School, Galveston, TX.
6. Douglas A. Baxter. 1981. Mechanism of pre-synaptic inhibition of transmitter release in crayfish axons. Senior Staff Scientist at Sensory Sciences Center, Baylor Medical School.
7. Rebecca Sheller. 1989. Molecular mechanisms for long term survival of severed crayfish nerve axons. Professor, Southwestern University, Georgetown, TX.
8. Shobhana Sivaramakrishnan. 1989. Biophysical mechanisms of calcium and membrane depolarization in synaptic facilitation. Research Scientist, University of Connecticut.

9. Alvin Lyckman. 1990. Mechanisms of neuritic outgrowth, neuritic guidance, and specific functional reconnection of severed giant axons in earthworms. Current address unknown.
10. Stephen Massia. 1992. Surface modifications of synthetic materials for the promotion of cell adhesion. Co-directed with Dr. Jeffrey Hubbel of Chemical Engineering. Research Scientist in a private biotechnology firm.
11. Jeffery Moehlenbruck. 1993. Biochemical mechanisms for long term survival of severed goldfish axons. Professor, St. Edwards Univeristy, Austin, TX.
12. Todd Krause. 1993. Cellular mechanisms for rapid repair of severed giant axons. Patent attorney, Boston, MA .
13. Sandy Tanner. 1994. Protein transport and turnover in crayfish medial gaint axons. Research Director, Nymox Corporation (retired)..
14. Sterling Wright. 1995. Biophysical/electrophysiological mechanisms of synaptic plasticities at crayfish neuromuscular junctions. Professor, Murray State University, Ky.
15. Tim Raabe. 1995. Mechanisms which determine protein turnover in intact and anucleate axons in vertebrates. Professor, St. Mary's University, San Antonio, TX.
16. Curtis Herbert. 1996. Effect of inhibitors of fibrinogen proteolysis on neuritic outgrowth from dorsal root ganglia. Co-directed with Dr. Jeffrey Hubble of Chemical Engineering. Associate Professor, University of Minnesota, Minneapolis, Minn.
17. Chris Eddleman. 1999 Biophysics and molecular biology of plasmalemmal sealing. Co-directed with Dr. Harvey Fishman, UTMB Galveston. Currently a practicing MD
18. Soonmoon Yoon. 2003 Molecular mechanisms of axonal sealing. Co-directed with Dr. Harvey Fishman. Current position unknown
19. Michael Nguyen. 2006. Role of calcium in neurite sealing and cell degeneration. Co-directed with Dr. Harvey Fishman. Currently a practicing MD.
20. Chris Spaeth. 2011. Molecular mechanisms of plasmalemmal sealing. Research Scientist, Houston
21. Aleksej Zuzek. 2012. Biochemical pathways of plasmalemmal sealing. Postdoctoral Fellow at Texas A&M Medical School (Temple, TX)
22. Tyler Smith. 2021. Immunosuppressive Effects of PEG-fusion in Peripheral Nerve Allografts. Post-doctoral fellow with Dr. Jennifer Wu, Northwestern University
23. Cameron Ghergherehchi. 2021. Polyethylene glycol fusion repair of rat peripheral nerves. Post-doctoral fellow with Dr. Jaimie Shores. Johns Hopkins Medical School.
24. Liwen (Kevin) Zhou. Role of allografts and Schwann Cells in PEG-fusion repair of peripheral nerve injuries. 2025. Currently Post Doctoral fellow at UTA

Current

25. Marshal Mencil. 5th Year PhD Student. Cellular/molecular/biochemical mechanisms that repair traumatic injuries to CNS axons. Awarded Lone Star Foundation Fellowships. Will Finish PhD August, 2026.
26. Henry Garcia. 3rd Year PhD Student. Translating to the clinic PEG-fusion technology to repair ablation-type peripheral nerve injuries in rat and pig model systems. Awarded NIH PA-423 3 year fellowship
27. Alexa Olivarez. 1st year PhD Student. PEG-fusion repair of ablation-type spinal injuries with peripheral nerve allografts.

3. Postdoctoral Fellows:

Completed

1. Dr. Thomas Hamilton, 1973 - 1974. CIA biomedical scientist and Professor of Biology, University of Virginia, Falls Church.
2. Dr. Larry Sewell, 1973 - 1974. Patent attorney and biomedical consultant, University of Texas Medical School, Dallas.
3. Dr. Samuel Velez, 1975 - 1976. Professor of Biology, Dartmouth.
4. Dr. Bonnie Templeton, 1975 - 1976. Research Associate, Washington University, Department of Biology, St. Louis, MO.
5. Dr. Thomas Anderson, 1977 - 1979. Director of the CNS Trauma Research Center, General Motors Corp.
6. Dr. David Falk, 1978. Current position unknown.
7. Dr. Robert Grossfeld, 1976 - 1979. Professor Emeritus of Zoology, North Carolina State University, Raleigh.
8. Dr. Douglas Baxter, 1981. Mechanism of pre-synaptic inhibition of transmitter release in crayfish axons. Senior Staff Scientist at Sensory Sciences Center, Baylor Medical School.
9. Dr. Terry A. Viancour, 1982 - 1984. Professor of Zoology, University of Maryland, Baltimore.
10. Dr. Richard A. Friedman, 1983 - 1985. Professor of Biophysics and Physiology, Vanderbilt University.
11. Dr. Kalpathi Seshan, 1982 - 1986. Research Associate, MD Anderson.
12. Dr. Steven Halls, 1986 - 1987. Current position unknown.
13. Dr. Bruce Winegar, 1986 - 1988. Research Associate, Department of Pharmacology, University of California Medical School, San Francisco, CA.
14. Dr. Scott Poehlman, 1988 - 1989. MD. Neurology, University of Wisconsin, Madison.
15. Dr. Alvin Lyckman, 1991 - 1992. Research Associate. NIH.
16. Dr. Jay Blundon, 1987 - 1993. NIH, NIAAA postdoctoral fellowships. Professor, Department of Biology, Rhodes College, Memphis, TN.
17. Dr. Rebecca Sheller, 1990 - 1994. NIAAA postdoctoral fellowship. Professor at Southwestern University, Georgetown, TX.
18. Dr. Todd Krause, 1993 - 1994. NIAAA fellowship. Co-directed with Dr. Harvey Fishman (UTMB, Galveston) Dept of Biophysics. Patent attorney. Boston, MA..
19. Dr. Eric Detrait. 1998-2000. Molecular mechanisms of plasmalemmal sealing. Co –directed with Dr. Fishman. Currently a Research Scientist at University of Rochester Medical School.
20. Dr. Ronda Stavisky. 2002-2005. Role of PEG in axonal repair. Current position unknown.
21. Dr. Van Herd. 2010-2013. Current position unknown.
22. Dr. Solomon Raju Bhupana Padu Sunkesula. 5/2013 – 12/2015. Role of PEG in axonal repair; Biochemical pathways of membrane sealing. Research Scientist, MD Anderson
23. Dr. Cameron Ghergherehchi. 6/2021-8/2021. Polyethylene glycol fusion repair of rat peripheral nerves. Post-doctoral fellow with Dr. Jaimie Shores. Johns Hopkins Medical School.
24. Dr. Tyler Smith. 6/2021-8/2021. Immunosuppressive Effects of PEG-fusion in Peripheral Nerve Allografts. Post-doctoral fellow with Dr. Jennifer Wu, Northwestern University.
25. Dr. Liwen (Kevin) Zhou. 6/2025- . PEG-fusion repair of PNS and spinal injuries.

PUBLICATIONS AND CONTRIBUTIONS

1. G.D. Bittner. 1967. Excitation-contraction coupling in crustacean neuromuscular systems. Ph.D. Thesis. Stanford University.
2. R.R. Hoy, G.D. Bittner, and D. Kennedy. 1967. Regeneration in crustacean motoneurons: evidence for axonal fusion. *Science* 156:251-252.
3. G.D. Bittner. 1968. The differentiation of crayfish muscle fibers during development. *J. Exp. Zool.* 167:439-456.
4. G.D. Bittner. 1968. Differentiation of nerve terminals in the crayfish opener muscle and its functional significance. *J. Gen. Physiol.* 51:731-758.
5. G.D. Bittner and D. Kennedy. 1970. Quantitative aspects of transmitter release. *J. Cell. Biol.* 47:585-590.
6. G.D. Bittner and J. Harrison. 1970. A reconsideration of the Poisson Hypothesis for transmitter release at the crayfish neuromuscular junction. *J. Physiol.* 206:1-23.
7. H.L. Atwood and G.D. Bittner. 1971. Matching of excitatory and inhibitory inputs to crustacean muscle fibers. *J. Neurophysiol.* 34:157-170.
8. H.L. Atwood, C.K. Govind, and G.D. Bittner. 1973. Ultrastructure of nerve terminals and muscle fibers in denervated crayfish muscle. *Zeit. Zellforsch.* 146:155-166.
9. G.D. Bittner and R. Kopanda. 1973. Factors influencing molting in the crayfish *Procambarus clarkii*. *J. Exp. Zool.* 186:7-17.
10. G.D. Bittner. 1973. Trophic dependence of fiber diameter in a crustacean muscle. *Exp. Neurol.* 41:38-53.
11. G.D. Bittner. 1973. Degeneration and regeneration in crustacean neuromuscular systems. *Amer. Zool.* 13:379-408.
12. G.D. Bittner and A. Johnson. 1974. Degeneration and regeneration in crustacean peripheral nerves. *J. Comp. Physiol.* 89:1-21.
13. L.P. Boone and G.D. Bittner. 1974. Morphological and physiological measures of trophic dependence in a crustacean muscle. *J. Comp. Physiol.* 89:123-144.
14. G.D. Bittner, M. Ballinger, and J.L. Larimer. 1974. Crayfish CNS: minimal degenerative-regenerative changes after lesioning. *J. Exp. Zool.* 189:13-36.
15. D. Kennedy and G.D. Bittner. 1974. Ultrastructural correlates of motor nerve regeneration in the crayfish. *Cell Tiss. Res.* 148:97-110.
16. G.D. Bittner and M. Nitzberg. 1975. Degeneration of sensory and motor axons in transplanted segments of a crustacean peripheral nerve. *J. Neurocytol.* 4:7-21.
17. G.D. Bittner and D.W. Mann. 1976. Differential survival of isolated portions of crayfish axons. *Cell and Tiss. Res.* 169:301-311.
18. S.C. Birse and G.D. Bittner. 1976. Regeneration of giant axons in earthworms. *Brain Res.* 113:575-581.
19. G.D. Bittner and L. Sewell. 1976. Facilitation at crayfish neuromuscular junctions. *J. Comp. Physiol.* 109:287-308.
20. G.D. Bittner. 1977. Trophic interactions of crustacean neurons. In: *Identified Neurons and Behavior*, Ed. by G. Hoyle in honor of Professor C.A.G. Wiersma. pp. 507-532.
21. M.L. Ballinger and G.D. Bittner. 1978. Developmental abnormalities of identifiable neurons in the crayfish *Procambarus simulans*. *J. Neurobiol.* 9:301-307.
22. G.D. Bittner and D.L. Traut. 1978. Growth of crustacean muscles: constancy of fiber number and sarcomere number. *J. Comp. Physiol.* 124:277-285.

23. M.P. Charlton and G.D. Bittner. 1978. Effect of changes in presynaptic potentials on facilitation in squid synapses. *J. Gen. Physiol.* 72:487-511.
24. M.P. Charlton and G.D. Bittner. 1978. Facilitation of transmitter release at squid synapses. *J. Gen. Physiol.* 72:471-486.
25. M.R. Meyer and G.D. Bittner. 1978. Histological studies of trophic interactions in crayfish giant axons. *Brain Res.* 143:195-211.
26. M.R. Meyer and G.D. Bittner. 1978. Biochemical studies of trophic interactions in crayfish giant axons. *Brain Res.* 143:212-232.
27. M.L. Ballinger and G.D. Bittner. 1980. Ultrastructural studies of severed medial giant and other CNS axons in crayfish. *Cell and Tiss. Res.* 208:123-133.
28. G.D. Bittner and M.L. Ballinger. 1980. Ultrastructural changes at gap junctions between lesioned crayfish axons. *Cell and Tiss. Res.* 207:143-153.
29. D.A. Baxter and G.D. Bittner. 1980. The normal accumulation of facilitation during presynaptic inhibition. *Brain Res.* 189:535-539.
30. T.E. Anderson and G.D. Bittner. 1980. Long-term alteration of electrotonic synapses. *Brain Res.* 184:224-228.
31. C.E. Hulsebosch and G.D. Bittner. 1980. Evolution of abilities to regenerate CNS neurons. *Am. Naturalist* 115:276-284.
32. T.A. Viancour, G.D. Bittner and M.L. Ballinger, 1981. Selective transfer of Lucifer Yellow CH from axoplasm to adaxonal glia. *Nature.* 293:65-67.
33. M.S. Bouton and G.D. Bittner. 1981. Regeneration of motor axons in crayfish limbs: distal stump activation followed by synaptic reformation. *Cell and Tiss. Res.* 219:379-392.
34. G.D. Bittner and M.R. Brown. 1981. Long term survival of enucleated glial cytoplasm in the leech *Macrobdella decora*. *Brain Res.* 218:357-364.
35. C.E. Hulsebosch and G.D. Bittner. 1981. Regeneration of nerve cell bodies in annelids: a test of the neuronal addition hypothesis. *J. Comp. Neurol.* 198:77-88.
36. C.E. Hulsebosch and G.D. Bittner. 1981. Morphology and number of neurons in two species of polychaetes. *J. Comp. Neurol.* 198:65-76.
37. S. Velez, G.D. Bittner, G.K. Govind and H.L. Atwood. 1981. Trophic reactions of crayfish muscle fibers and nerve synapses following denervation, tenotomy, and immobilization. *Exp. Neurol.* 71:307-325.
38. S.C. Birse and G.D. Bittner. 1981. Regeneration of earthworm giant axons following transection or ablation. *J. Neurophysiol.* 45:724-742.
39. G.D. Bittner and R.A. Schatz. 1981. An examination of the residual calcium hypothesis for transmitter release. *Brain Res.* 210:431-436.
40. G.D. Bittner. 1981. Trophic interactions of crustacean giant axons. *Comp. Biochem. Physiol.* 68A:299-306.
41. R.M. Grossfeld, G.D. Bittner, and M.A. Raymond. 1982. Inter- and intra-axonal variations in morphology and metabolic activity of the crayfish medial giant axon. *J. Neurobiol.* 13:191-197.
42. D.A. Baxter and G.D. Bittner. 1982. Intracellular recordings from crustacean motor axons during presynaptic inhibition. *Brain Res.* 223:422-428.
43. D.A. Baxter, G.D. Bittner, and T.H. Brown. 1985. Quantal mechanisms of long-term synaptic potentiation. *PNAS* 82:5978-5982.
44. G.D. Bittner, and J.P. Segundo. 1986. Facilitation. In *Encyclopedia of Neuroscience*. Ed. G. Adelman. Birkhauser. p. 428-430.

45. G.D. Bittner, M.L. Ballinger, and M.A. Raymond. 1986. Reconnection of severed nerve axons with polyethylene glycol. *Brain Res.* 367:351-365.
46. K.R. Seshan and G.D. Bittner. 1987. Developmental and other factors affecting regeneration of crayfish CNS axons. *J. Comp. Neurol.* 262:535-545.
47. T.A. Viancour, K.R. Seshan, G.D. Bittner, and R.A. Sheller. 1987. Organization of axoplasm in crayfish giant axons. *J. Neurocytol.* 16:557-566.
48. R.N. Friedman, G.D. Bittner, and J.A. Blundon. 1988. Electrophysiological and behavioral effects of ethanol on crayfish. *J. Exp. Pharm. & Therap.* 246:125-131.
49. G.D. Bittner. 1988. Long term survival of severed distal axonal stumps in vertebrates and invertebrates. *Am. Zool.* 28:1165-1179.
50. B.D. Winegar, G.D. Bittner, and S.W. Leslie. 1988. Effects of pentobarbital on behavioral and synaptic plasticities in crayfish. *Brain Res.* 475:21-27.
51. T.A. Viancour, R.A. Sheller, G.D. Bittner, and K.R. Seshan. 1988. Protein transport between crayfish lateral giant axons. *Brain Res.* 439:211-221.
52. G.D. Bittner and J.P. Segundo. 1989. Effect of stimulus timing on transmitter release and postsynaptic membrane potential at crayfish neuromuscular junctions. *J. Comp. Physiol.* 165:371-382.
53. G.D. Bittner. 1989. Synaptic plasticity at the crayfish opener neuromuscular preparation. *J. Neurobiol.* 20:386-408.
54. J.A. Blundon, R.A. Sheller, J.W. Moehlenbruck, and G.D. Bittner. 1990. Effect of temperature on long term survival of anucleate giant axons in crayfish and goldfish. *J. Comp. Neurol.* 297:377-391.
55. T.L. Krause and G.D. Bittner. 1990. Rapid morphological fusion of severed myelinated axons by polyethylene glycol. *PNAS.* 87:1471-1475.
56. S. Sivaramakrishnan, G.D. Bittner, and M.S. Brodwick. 1991. Calcium-activated potassium conductance in presynaptic terminals at crayfish neuromuscular junction. *J. Gen. Physiol.* 98:1161-1180.
57. S. Sivaramakrishnan, M.S. Brodwick, and G.D. Bittner. 1991. Presynaptic facilitation at crayfish neuromuscular junctions: role of calcium-activated potassium conductance. *J. Gen. Physiol.* 98:1181-1196.
58. R.A. Sheller, M.L. Ballinger, and G.D. Bittner. 1991. Long term survival of severed crayfish giant axons is not associated with an incorporation of glial nuclei into axoplasm. *Neurosci. Letters* 133:113-116.
59. T.L. Krause, R.M. Marquis, A.W. Lyckman, M.L. Ballinger, and G.D. Bittner. 1991. Rapid artificial restoration of electrical continuity across a crush lesion of a giant axon. *Brain Res.* 561:350-353.
60. G.D. Bittner. 1991. Long term survival of anucleate axons and its implications for nerve regeneration. *Trends in Neurosci.* 14:188-193.
61. G.D. Bittner and D.A. Baxter. 1991. Mechanisms of synaptic plasticity at crayfish neuromuscular junctions: facilitation and augmentation. *Synapse.* 7:235-243.
62. D.A. Baxter and G.D. Bittner. 1991. Mechanisms of synaptic plasticity at crayfish neuromuscular junctions: pre-synaptic inhibition. *Synapse* 7:244-251.
63. A.W. Lyckman and G.D. Bittner. 1992. Axonal conduction and electrical coupling in regenerating earthworm giant axons. *Exp Neurol.* 117:299-306.
64. R.A. Sheller and G.D. Bittner. 1992. Maintenance and synthesis of proteins for an anucleate axon. *Brain Res.* 580:68-80.
65. A.W. Lyckman, S.M. Thomas and G.D. Bittner. 1992. Analysis of neuritic outgrowth from severed giant axons in *Lumbricus terrestris*. *J. Comp. Neurol.* 318:426-438.

66. J.A. Blundon and G.D. Bittner. 1992. Effects of ethanol and other drugs on excitatory and inhibitory neurotransmission in the crayfish. *J. Neurophysiol.* 67:576-587.
67. J.A. Blundon, S.N. Wright, M.S. Brodwick and G.D. Bittner. 1993. Residual free calcium is not responsible for facilitation of transmitter release. *PNAS* 90:9388-9392.
68. R.A. Sheller and G.D. Bittner. 1993. Whole intact tissue electrophoresis of nerve proteins. *J. Neurosci. Methods* 49:185-191.
69. J.W. Moehlenbruck, J.A. Cummings and G.D. Bittner. 1994. Long term survival followed by degradation of neurofilament proteins in severed Mauthner axons of goldfish. *J. Neurobiol.* 25:1637-1651.
70. T.L. Krause, H.M. Fishman, M.L. Ballinger, and G.D. Bittner. 1994. Extent and mechanism of sealing in transected giant axons of squid and earthworms. *J. Neurosci.* 14:6638-6651.
71. T.L. Krause, H.M. Fishman, and G.D. Bittner. 1994. Axolemmal and septal conductance in the impedance of the earthworm medial giant nerve fiber. *Biophys. J.* 67:692-695.
72. M.A. Todora, H.M. Fishman T.L. Krause, and G.D. Bittner. 1994. Shortening of a severed squid giant axon is non-uniform and occurs in two phases. *Neurosci. Lett.* 179:57-59.
73. T.L. Krause, Y. Magarshak, H.M. Fishman, and G.D. Bittner. 1995. Membrane potential and input resistance are ambiguous measures of sealing of transected cable-like structures. *Biophys. J.* 68:795-799.
74. S.L. Tanner, E.E. Storm, and G.D. Bittner. 1995. Protein transport in intact and severed (anucleate) crayfish medial giant axons. *J. Neurochem.* 64:1491-1501.
75. R.A. Sheller, M. Tytell, M. Smyers, and G.D. Bittner. 1995. Glia to axon communication: Enrichment of glial proteins transferred to the squid giant axon. *J. Neurochem. Res.* 41:324-334.
76. S.L. Tanner, E.E. Storm, and G.D. Bittner. 1995. Maintenance and degradation of proteins in intact and severed axons: Implications for the mechanism of long term survival of anucleate crayfish axons. *J. Neurosci.* 15:540-548.
77. T.D. Raabe, T. Nguyen, and G.D. Bittner. 1995. Calcium activated proteolysis of neurofilament proteins in goldfish Mauthner axons. *J. Neurobiol.* 26:253-261. PubMed PMID: 7707045.
78. J.A. Blundon, S.N. Wright, M.S. Brodwick, and G.D. Bittner. 1995. Presynaptic calcium-activated potassium channels and calcium channels at a crayfish neuromuscular synapse. *J. Neurophysiol.* 73:178-189.
79. T. Sea, M.L. Ballinger, and G.D. Bittner. 1995. Cooling of peripheral myelinated axons retards Wallerian degeneration. *Exp. Neurol.* 133:85-95.
80. C.S. Eddleman, C.M. Godell, H.M. Fishman, M. Tytell, and G.D. Bittner. 1995. Florescent labelling of the glial sheath of giant nerve fibers. *Biol. Bull.*, 189:218-219.
81. H.M. Fishman, T.L. Krause, A.L. Miller, and G.D. Bittner. 1995. Retardation of the spread of extracellular Ca^{++} into transected, unsealed squid giant axons. *Biol. Bull.*, 189:208-209.
82. T.D. Raabe and G.D. Bittner. 1996. Phosphorylation of neurofilament proteins in isolated goldfish Mauthner axoplasm. *J. Neurochem.*, 66:1214-1221.
83. C.B. Herbert, G.D. Bittner, and J. A. Hubbell. 1996. Effects of fibrinolysis on neurite growth from dorsal root ganglia cultured in two- and three-dimensional fibrin gels. *J. Comp. Neurol.*, 365:380-391. doi: 10.1002/(SICI)1096-9861(19960212)365:3<380::AID-CNE4>3.0.CO;2-0. PubMed PMID: 8822177.
84. T.D. Raabe, T. Nguyen, C. Archer, and G.D. Bittner. 1996. Mechanisms for the maintenance and eventual degradation of neurofilament proteins in the distal segments of severed goldfish Mauthner axons. *J. Neurosci.*, 16: 1605-1613. PubMed PMID: 8774429.

85. S.N. Wright, M.S. Brodwick, and G.D. Bittner. 1996. Presynaptic calcium currents at voltage-clamped excitor and inhibitor terminals of crayfish. *J. Physiol.*, 496:347-361. PubMed PMID: 8910221; PubMed Central PMCID: PMC1160882.
86. S.N. Wright, M.S. Brodwick, and G.D. Bittner. 1996. Calcium currents, transmitter release and facilitation of release at voltage-clamped crayfish nerve terminals. *J. Physiol.*, 496:361-378. PubMed PMID: 8910222; PubMed Central PMCID: PMC1160883
87. O. Weiner, A.M. Zorn, P.A. Krieg, and G.D. Bittner. 1996. Medium-weight neurofilament mRNA in goldfish Mauthner axoplasm. *Neurosci. Letters*, 213: 83-86. PubMed PMID: 8858614; PubMed Central PMCID: PMC2830807.
88. Sunio and G.D. Bittner. 1997. Cyclosporin retards the Wallerian degeneration of peripheral mammalian axons. *Exp. Neurol.*, 146:46 - 56. doi: 10.1006/exnr.1997.6484. PubMed PMID: 9225737.
89. C.S. Eddleman, M.L. Ballinger, M.E. Smyers, C.M. Godell, H.M. Fishman, and G.D. Bittner. 1997. Repair of plasmalemmal lesions by vesicles. *PNAS*. 94:4745-4750. PubMed PMID: 9114062; PubMed Central PMCID: PMC20795.
90. C.M. Godell, M. Ballinger, C.S. Eddleman, M.E. Smyers, H.M. Fishman, and G.D. Bittner. 1997. Calpain promotes the sealing of severed giant axons. *PNAS*. 94:4751-4756. PubMed PMID: 9114063.
91. M.L. Ballinger, A.R. Blanchette, T.L. Krause, M.E. Smyers, H.M. Fishman, and G.D. Bittner. 1997. Delaminating myelin membranes help seal the cut ends of severed earthworm giant axons. *J. Neurobiol.*, 33: 945-960. PubMed PMID: 9407015.
92. C.B. Herbert, C. Nagaswami, G.D. Bittner, J.A. Hubbell, and J.W. Weisel. 1998. Effects of fibrin micro-morphology on neurite growth from dorsal root ganglia cultured within three-dimensional fibrin gels. *J. Biomed. Materials Res.*, 40: 551-559. PubMed PMID: 9599031
93. R.A. Sheller, M.E. Smyers, R.M. Grossfeld, M.L. Ballinger, and G.D. Bittner. 1998. Heat shock proteins in crayfish medial giant axons: High constitutive levels and transfer of inducible isoforms from glia. *J. Comp. Neurol.* 396:1-11. PubMed PMID: 9623883.
94. C.S. Eddleman, M.L. Ballinger, M.E. Smyers, H.M. Fishman, and G.D. Bittner. 1998. Endocytotic formation of vesicles and other membranous structures induced by Ca^{2+} and axoplasmic injury. *J. Neurosci.* 18:4029-4041. PubMed PMID: 9592084.
95. C.S. Eddleman, M.E. Smyers, A.Lore, H.M. Fishman and G.D. Bittner. 1998. Anomalies associated with dye exclusion as a measure of axolemmal repair. *Neurosci. Letters*. 256: 123-126. PubMed PMID: 9855355.
96. A.B.Lore, J.A.Hubbell, D.S. Bobb Jr., M.L.Ballinger, K.L. Loftin, , J.W.Smith, M.E. Smyers, H.D.Garcia and G.D. Bittner. 1999. Rapid induction of functional and morphological continuity between severed ends of mammalian or earthworm myelinated axons. *J Neurosci.* 19: 2442 – 2454. PubMed PMID: 10087059.
97. A.R. Blanchette, M.L. Ballinger, H.M. Fishman, and G.D. Bittner. 1999. Calcium entry initiates processes that restore a barrier to dye entry in severed earthworm axons. *Neuroscience Letters*. 272:147-150. PubMed PMID: 10505602.
98. G.D. Bittner, T. Schallert, and J. D. Peduzzi. 2000. Degeneration, trophic interactions, and repair of severed axons: A reconsideration of some common assumptions. *The Neuroscientist*. 6: 88–109.
99. G.D. Bittner and H.M. Fishman. 2000. Axonal sealing following injury. Invited chapter in *Nerve Regeneration*. Ed. N. Ingoglia and M. Murray. Marcel Dekker. P. 337 – 370.
100. G.D. Bittner and B.X. Friedman. 2000. Evolution of brain structures and adaptive behaviors in humans and other animals: role of polymorphic genetic variations. *The Neuroscientist*. 6: 241 – 251

102. J. W. Lichstein, M.L. Ballinger, A.R. Blanchette, H.M. Fishman, and G.D. Bittner. 2000. Structural changes at the cut ends of earthworm giant axons in the interval between dye barrier formation and neuritic outgrowth. *J. Comp. Neurol.* 416: 143-157. PubMed PMID: 10581462.
103. C.S. Eddleman, E. Detrait, G.D. Bittner, and H.M. Fishman. 2000. Barrier permeability at cut axonal ends progressively decreases until an axonal seal is formed. *Biophys. J.*, 79: 1883 - 1890. doi: 10.1016/S0006-3495(00)76438-1. PubMed PMID: 11023894; PubMed Central PMCID: PMC1301080.
104. E. Detrait, C.S. Eddleman, S. Yoo, M. Fukuda, G.D. Bittner, and H.M. Fishman. 2000. Axolemmal repair requires proteins that mediate synaptic vesicle fusion. *J. Neurobiol.* 44:382 - 391. PubMed PMID: 10945894.
105. E. Detrait, S. Yoo, C.S. Eddleman, M. Fukuda, G.D. Bittner, and H.M. Fishman. 2000. Repair of severed neurites of PC 12 cells requires divalent cations and a conserved region of synaptotagmin. *J. Neuroscience Research.* 62: 566 – 573. PubMed PMID: 11070500.
106. T. C. Marzullo, J.S. Britt, R. Stavisky, and G. D. Bittner. 2001. Cooling enhances in vitro survival and fusion-repair of severed axons taken from the peripheral and central nervous system of rats. *Neuroscience Letters.* 327: 9-12. PubMed PMID: 12098488.
107. C.Z. Yang and G.D. Bittner. 2002. Effects of some dietary phytoestrogens in animal studies: review of a confusing landscape. *Lab Anim (NY).* 2002;31(9):43-8. doi: 10.1038/5000192. PubMed PMID: 12271330
108. C.S. Eddleman, G.D. Bittner, and H.M. Fishman. 2003. SEM comparison of severed ends of giant axons isolated from squid (*Loligo pealei*) and crayfish (*Procambarus clarkii*). *Biol Bull.* 203: 219 – 220. PubMed PMID: 12414587.
109. H.M. Fishman and G.D. Bittner. 2003. Vesicle-mediated restoration of a plasmalemmal barrier in severed axons. *News in Physiological Sciences.* 18:115-118. PubMed PMID: 12750447.
110. S. Yoo, M. P. Nguyen, M. Fukuda, G. D. Bittner, and H. M. Fishman. 2003. Plasmalemmal sealing of transected mammalian neurites is a gradual process mediated by Ca-regulated proteins. *J. Neurosci. Res.* 74:541-551. doi: 10.1002/jnr.10771. PubMed PMID: 14598298
111. R. C. Stavisky, J. M. Britt, T. Pham, T. C. Marzullo and G. D. Bittner. 2003. Wallerian Degeneration of mammalian PNS and CNS axons is accelerated by incubation with protein synthesis inhibitors. *Neuroscience Res.* 47: 445 – 449. doi: 10.1006/exnr.1997.6484. PubMed PMID: 9225737.
112. S. Yoo, J.E. Bottenstein, G. D. Bittner, and H. M. Fishman. 2004. Survival of mammalian B104 cells following neurite transection at different locations depends on somal calcium concentration. *J. Neurobiol.* 60: 137-153. doi: 10.1002/neu.20005. PubMed PMID: 15266646
113. R.C. Stavisky, J.M. Britt, A. Zuzek, E. Truong and G.D. Bittner. 2005. Melatonin enhances the *in vitro* and *in vivo* repair of severed rat sciatic axons. *Neurosci. Letters*, 376:98-101. doi: 10.1016/j.neulet.2004.11.033. PubMed PMID: 15698928.
114. M.G. Nguyen, G.D. Bittner, and H.M. Fishman. 2005. Critical interval of somal calcium transient after neurite transaction determines B104 cell survival. *J. Neurosci. Res.*,81: 805-816. doi: 10.1002/jnr.20606. PubMed PMID: 16049977; PubMed Central PMCID: PMC1237108.
115. J.M. Britt, J.R. Kane, C.S. Spaeth, A. Zuzek, G.L. Robinson, M.Y. Gbanaglo, C.J. Estler, E.A. Boydston, T. Schallert and G.D. Bittner. 2010. Polyethylene glycol rapidly restores axonal integrity and improves the rate of motor behavior recovery after sciatic nerve crush injury. *J Neurophysiol.* 104: 695-703. doi: 10.1152/jn.01051.2009. PubMed PMID: 20445038.
116. C.S. Spaeth, E.A. Boydston, L.A. Figard, A. Zuzek and G.D. Bittner. 2010. A model for sealing plasmalemmal damage in neurons and other eukaryotic cells. *J. Neurosci.* 30:15790-15800. doi: 10.1523/JNEUROSCI.4155-10.2010. PubMed PMID: 21106818.

117. C. Z. Yang, S. I. Yaniger, V. C. Jordan, D. Klein and G.D. Bittner. 2011. Most Plastic Products Release Estrogenic Chemicals: A Potential Health Problem That Can Be Solved. *Environmental Health Perspectives* 119: 989-996. doi: 10.1289/ehp.1003220. Epub 2011 Mar 2
118. C.S. Spaeth, J.D. Fan, E.B. Spaeth, T. Robison, R.W. Wilcott and G.D. Bittner. 2012. Neurite transection produces cytosolic oxidation which enhances plasmalemmal repair. *J Neurosci Res.* 90:945-954. doi: 10.1002/neu.20005. PubMed PMID: 15266646.
119. C.S. Spaeth, E.B. Spaeth, R.W. Wilcott, J.D. Fan, T. Robison and G.D. Bittner. 2012. Pathways for plasmalemmal repair mediated by PKA, Epac and cytosolic oxidation in rat B104 cells *in vitro* and rat sciatic axons *ex vivo*. *Devel Neurol.* 72:1399-1414. doi: 10.1002/dneu.20998. PubMed PMID: 22076955.
120. C.S. Spaeth, T. Robison, J.D. Fan and G.D. Bittner. 2012. Cellular mechanisms of plasmalemmal sealing and axonal repair by polyethylene glycol and methylene blue. *J Neurosci Res.* 90:955-966. doi: 10.1002/jnr.23022. PubMed PMID: 22302626.
121. G.D. Bittner, C.P. Keating, J. R. Kane, J.M. Britt, C.S. Spaeth, J. D. Fan, A. Zuzek R.W. Wilcott, W. P. Thayer, J.M. Winograd, F. Gonzalez-Lima and T. Schallert. 2012. Rapid, effective and long-lasting behavioral recovery produced by microsutures, methylene blue and polyethylene glycol after complete cut of rat sciatic nerves. *J Neurosci Res.* 90:967-980. doi: 10.1002/jnr.23023. PubMed PMID: 22302646.
122. K.W. Sexton, A.C. Pollins, N. L. Cardwell, G. A. Del Corral, G. D. Bittner, R. B. Shack, L. B. Nanney, W. P. Thayer. 2012. Hydrophilic polymers enhance early functional outcomes after nerve autografting. *J. Surgical Res.* 177:392-400. doi: 10.1016/j.jss.2012.03.049. PubMed PMID: 22521220; PubMed Central PMCID: PMC4096106.
123. A. Zuzek, J.D. Fan, C. S. Spaeth, G.D. Bittner. 2013. Sealing of transected neurites of rat B104 cells requires a diacylglycerol PKC-dependent pathway and a PKA-dependent pathway. *Cell Molec Neurosci.* 33:31-46. doi: 10.1007/s10571-012-9868-5. Epub 2012 Aug 3.
124. C.L. Rodriguez-Feo, K.W. Sexton, R. B. Boyer, A. C. Pollins, N. L. Cardwell, L. B. Nanney, R. B. Shack, M. A. Mikes, C. H. McGill, C. W. Driscoll, G. D. Bittner, W. P. Thayer. 2013. Blocking the P2X7 Receptor Improves Outcomes After Axonal Fusion. *J. Surgical Research.* 184(1):705-13. doi: 10.1016/j.jss.2013.04.082. PubMed PMID: 23731685.
125. C.Z. Yang, W. Casey, M. Stoner, G.J. Kollessery, A.W. Wong and G.D. Bittner, 2014. A robotic MCF-7:WS8 cell proliferation assay to detect agonist and antagonist estrogenic activity. *Toxicological Sci.* 137:335-349. doi: 10.1093/toxsci/kft250. PubMed PMID: 24213142; PubMed Central PMCID: PMC3908721.
126. S.L. Myers, C.Z. Yang, G.D. Bittner, K.L. Witt, R.R. Tice, D.D. Baird. 2014. Estrogenic and Anti-Estrogenic Activity of Off-The-Shelf Hair and Skin Products. *Journal of Exposure Science and Environmental Epidemiology.* 25:271-277. doi: 10.1038/jes.2014.32. PubMed PMID: 24849798.
127. M.A. Stoner, C.Z. Yang, and G.D. Bittner. 2014. A Robotic BG1Luc Reporter Assay to Detect Estrogen Receptor Agonists. *Toxicology in Vitro.* 28: 916-925. doi: 10.1016/j.tiv.2014.03.013. PubMed PMID: 24747293; PubMed Central PMCID: PMC4088324
128. G.D. Bittner, M. A. Stoner, C. Z. Yang. 2014. Estrogenic chemicals often leach from BPA-free plastic products that are replacements for BPA-containing polycarbonate products. *Environmental Health* 13:41-54. doi: 10.1186/1476-069X-13-41. PubMed PMID: 24886603; PubMed Central PMCID: PMC4063249.
129. G.D. Bittner, M.S. Denison, C. Z. Yang, M.A. Stoner, G. He. 2014. Chemicals having estrogenic activity can be released from some BPA-free, hard and clear, thermoplastic resins. *Environmental*

- Health. 13:103-121. doi: 10.1186/1476-069X-13-41. PubMed PMID: 24886603; PubMed Central PMCID: PMC4063249.
130. D.C. Riley, G.D. Bittner, M.A. Mikes, N.L. Cardwell, A.C. Pollins, C.L. Ghergherehchi, S.R. Bhupanapadu Sunkesula, T.N. Ha, B.T.D. Hall, A.D. Poon, M. Pyarali, R.B. Boyer, A.T. Mazal, N. Munoz, R.C. Trevino, T.Schallert, W.P. Thayer. 2015. Polyethylene glycol-fused allografts produce rapid behavioral recovery after ablating sciatic nerve segments. *J Neurosci Res.* Apr;93(4):572-83. doi: 10.1002/jnr.23514. PubMed PMID: 25425242; PubMed Central PMCID: PMC4329031.
131. G.D. Bittner, K.K. Rokkappanavar, J.D. Peduzzi. 2015. Application and implications of PEG-fusion as a novel technology to repair injured spinal cords. *Neural Regeneration Research.* 10:1406-1408.
132. G.D. Bittner, D.R. Sengelaub, R.C. Trevino, J.D. Peduzzi, M. Mikes, C.L. Ghergherehchi, T.Schallert, W.P. Thayer. 2016. The curious ability of PEG-fusion technologies to restore lost behaviors after nerve severance. *J Neurosci Res.* 94: 207-230. Online 3 Nov.2015. doi. 1002/jnr 23685
133. C. L. Ghergherehchi, G. D. Bittner, R. L. Hastings, M. Mikes, D. C. Riley, R. C. Trevino, T. Schallert, W. P. Thayer, S. Raju Bhupanapadu Sunkesula, T-A. N. Ha, N. Munoz, M. Pyarali, A. Bansal, A. D. Poon, A. T. Mazal, T. A. Smith, N. S. Wong, P. J. Dunne. 2016. Effects of extracellular calcium and surgical techniques on restoration of axonal continuity by PEG-fusion following complete cut- or crush-severance of rat sciatic nerves. *J Neurosci Res.* 94:231-245. Doi. 10.1002/jnr23704.
134. G.D. Bittner, M. Mikes, C. L. Ghergherehchi. 2016. PEG-fusion retards Wallerian degeneration and rapidly restores behaviors lost after nerve severance. *Neural Regen. Res.* 11:217-219. Doi 10.4103/1673-5374.177716.
135. C.H. McGill, S. R. Bhupanapadu Sunkesula, A.D. Poon, M. Mikes, G. D. Bittner 2016. Sealing Frequency of B104 Cells Declines Exponentially with Decreasing Transection Distance from the Axon Hillock. *Exp. Neurol.* 279:149-158. doi:10.1016/j.expneurol.2016.02.001.
136. George D. Bittner, Christopher S. Spaeth, Andrew D. Poon, Zachary S. Burgess, Christopher H. McGill. 2016. Repair of traumatic plasmalemmal damage to neurons and other eukaryotic cells. *Neu. Regen. Res.* 11:1033-1042. doi: 10.4103/1673-5374.187019.
137. G.D. Bittner, D.R. Sengelaub, R.C. Trevino, C.L. Ghergherehchi, M. Mikes. 2017. Robinson and Madison have published no data on whether polyethylene glycol fusion repair prevents reinnervation accuracy in rat peripheral nerve. *J Neurosci Res.* 95:863-866. doi: 10.1002/jnr.23849.
138. GD Bittner, DL Sengelaub, CL Ghergherehchi. 2018. Conundrums and confusions regarding how PEG-fusion produces excellent behavioral recovery after peripheral nerve injuries. *Neural Regeneration Research.* 13: 53-57. doi: 10.4103/1673-5374.224363.
139. Andrew D. Poon, Sarah H. McGill, Solomon Raju Bhupanapadu Sunkesula, Zachary S. Burgess, Patrick J. Dunne, Edward E. Kang and George D Bittner. 2019. CaMKII and DMSO affect the sealing frequencies of transected hippocampal neurons. *J. Neurosci. Res.* 96:1208-1222. doi: 10.1002/jnr.24232.
140. Mikes M, Ghergherehchi CL, Hastings RL, Ali A, Rahesh S, Jagannath K, Sengelaub DR, Trevino RC, Jackson DM, Bittner GD. 2018. Polyethylene glycol solutions rapidly restore and maintain axonal continuity, neuromuscular structures and behaviors lost after sciatic nerve transections in female rats. *J. Neurosci. Res.* 96: 1223-1242. doi: 10.1002/jnr.24225.
141. Mikes M, Ghergherehchi CL, Rahesh S, Jagannath K, Ali A, Sengelaub DR, Trevino RC, Jackson DM, Tucker HO, Bittner GD. 2018. Polyethylene glycol treated allografts not tissue matched nor immunosuppressed rapidly repair sciatic nerve gaps, maintain neuromuscular functions, and restore voluntary behaviors in female rats. *J. Neurosci. Res.* 96:1243- 1264. doi: 10.1002/jnr.24227.

142. Ghergherehchi CL, Mikes M, Sengelaub DR, Jackson DM, Smith T, Shores JT, Bittner GD. (2019) Polyethylene glycol (PEG) and other bioactive solutions with neurorrhaphy for rapid and dramatic repair of peripheral nerve lesions by PEG-fusion. *J Neurosci Methods*. 314:1-12. NIHMS1518360, Publ.ID: NSM8215. Doi n1-.1016/jneumeth.2018.12.20.15
143. Bittner GD, Ghergherehchi CL, Mikes M. 2019 Surgical Technique and Other Protocols Used Probably Did Not Induce Polyethylene Glycol Fusion of Rat Facial Nerves. *JAMA Facial Plast Surg*. ;21(1):81. doi:10.1001/jamafacial.2018.1126
144. Bittner G, Ghergherehchi C, Mikes M, Sengelaub D, Trevino R, Shores J. Salomone et al did not induce PEG-fusion repair of severed rat facial nerves. *Head Neck*. 2019 Aug 9. doi: 10.1002/hed.25894. [Epub ahead of print] PMID: 31400039
145. Vargas SA and Bittner GD. 2019. Natural mechanisms and artificial PEG-induced mechanism that repair traumatic damage to the plasmalemma in eukaryotes. *Current Topics in Membranes: Plasma Membrane Repair*. 84: 129-167.
146. Ghergherehchi C.L., Hibbard E.A., Mikes M., Bittner G.D., Sengelaub D.R. (2019b). Behavioral recovery and spinal motoneuron remodeling after polyethylene glycol axon fusion repair of singly cut and ablated sciatic nerves. *PLoS One*. 14(10): e0223443. doi: 10.1371/journal.pone.0223443.
147. Smith TA, Ghergherehchi CL, Mikes M, Shores JT, Tucker HO, Bittner GD. 2020. Polyethylene glycol-fusion repair of sciatic allografts in female rats achieve immunotolerance via attenuated innate and adaptive responses. *J Neurosci. Res*. 98:2468-2495. PMID: 33008419; PMCID: PMC7532577.
148. Smith TA Ghergherehchi CL, Tucker HO, G. D. Bittner GD. 2020. Coding transcriptome analyses reveal altered functions underlying immunotolerance of PEG-fused rat sciatic nerve allografts. *J. Neuroinflammation*. 17:287-311. doi.org/10.1186/s12974-020-01953-8. PMID: 32931034.
149. Ghergherehchi CL, Shores JT, Alderete J, Weitzel EK, Bittner GD. 2021. Methylene blue enhances PEG-fusion repair of completely severed rat sciatic nerves. *Neural Regeneration Research*. 16(10):2056-2063. doi.org/10.1186/s12974-020-01953-8. PMID: 33642394; PMCID: PMC8343334.
150. Kelly C. S. Roballo, Jason P. Gigley, Tyler A. Smith, George D. Bittner, Jared S. Bushman. 2022. Morphological, Functional, and Immunological Peculiarities of Peripheral Nerve Allografts. *Nerve Regeneration Research*. 17: 721-747. <https://doi.org/10.4103/1673-5374.322445>
151. George D. Bittner, Jared S. Bushman, Cameron L. Ghergherehchi, Kelly C.S. Roballo, Jamie T. Shores, Tyler A. Smith. 2022. Typical and Atypical Properties of Peripheral Nerve Allografts Enable Novel Strategies to Repair Segmental Loss Injuries. *Journal of Neuroinflammation*. 19:60 <https://doi.org/10.1186/s12974-022-02395->
152. Stephen Lopez MD, George Bittner PhD, Richard Trevino MD. 2023. Rapid and effective fusion-repair of severed digital nerves using neurorrhaphy and bioengineered solutions including polyethylene glycol: A case report. *Frontiers in Cellular Neuroscience: In Volume 16 - |* <https://doi.org/10.3389/fncel.2022.1087961>
153. Liwen Zhou, Monzer Alatrach, Ted Zhao, Paul Oliphint, George D. Bittner. 2023 Differential survival of segments of rat sciatic nerves preserved in different storage solutions assessed by novel electrophysiological and morphological criteria. 2023. *Neural Regeneration Research*. 18:2082-2088. <https://doi.org/10.4103/1673-5374.367848>
154. Marshal Mencil and George D. Bittner. 2023. Repair of traumatic lesions to the plasmalemma of neurons and other cells: commonalities, conflicts, and controversies. *Frontiers in Cellular Neuroscience*. PMID: 37008019 PMCID: PMC10050709 DOI: 10.3389/fphys.2023.1114779 pages 1-22.

155. Allgood JA, Bittner GD, Bushman JS. 2023. Repair and Regeneration of Peripheral Nerve Injuries that Ablate Branch Points. *Neural Regeneration Research*. 18#12, 2564-2568, <https://doi.org/10.4103/1673-5374.373679>
156. Christopher Frost; Abdel Salous, Suvethavarshini Ketheeswaran, Ledibabari M. Ngaage, Phil Hanwright, Cameron Ghergherehchi, Sami Tuffaha· George D. Bittner, Dhananjay Vaidya· Gerald Brandacher, Jaimie Shores· 2024. Polyethylene Glycol Fusion Restores Axonal Continuity and Improves Return of Function in a Rat Median/Ulnar Nerve Denervation Model. *Journal of Plastic and Reconstructive Surgery*. DOI:10.1097PRS.00000000000011608
157. Tyler A. Smith, Liwen Zhou, Cameron L. Ghergherehchi, Michelle Mikesch, Cathy Z. Yang, Haley O. Tucker, JuliAnne Allgood, Jared S. Bushman, George D. Bittner. 2024. Polyethylene glycol treatment of peripheral nerve allografts in rats requires axon fusion to consistently attenuate innate and adaptive immune responses. 2024. *Neural Regeneration Research*. <https://doi.org/10.4103/>
158. Emily A. Hibbard, Liwen Zhou, Cathy Z. Yang, Karthik Venkudusamy, Yessenia Montoya, Alexa Olivarez, George D. Bittner, Dale R. Sengelaub. 2024. Polyethylene glycol fusion repair of severed rat sciatic nerves reestablishes axonal continuity and reorganizes sensory terminal fields in the spinal cord. In Press *Neural. Regen. Res.* <https://doi.org/10.4103/NRR.NRR-D-23-01845>
159. Liwen Zhou, Karthik Venkudusamy, Emily A. Hibbard, Yessenia Montoya, Alexa Olivarez, Cathy Z. Yang, Adelaide Leung, Varun Gokhale, Guhan Periyasamy, Zeal Pathak, Dale R. Sengelaub, George D. Bittner. 2024. Polyethylene glycol fusion repair of severed sciatic nerves accelerates recovery of nociceptive sensory perceptions in male and female rats of different strains. Accepted *Neural. Regen. Res.* <https://doi.org/10.4103/NRR.NRR-D-23-01846>
160. George D. Bittner, Sami Tuffaha, Jaimie T. Shores. 2024. PEG-fusion repair of peripheral nerve injuries (PNIs). *Hand Clinics*.40:389-397
161. Liwen Zhou, Cathy Z. Yang, Alexander M. Schafer, Alexa N. Olivarez, Arjun Agarwal, Guhan Periyasamy, Karthik Venkudusamy, Yessenia Montoya, Varun Gokhale, Rhea Sood, Henry Garcia, Jared S. Bushman and George D. Bittner. (2025) Successful PEG-fusion repairs using stored viable peripheral nerve allografts. *Neural Regeneration Research*. DOI:[10.4103/NRR.NRR-D-23-01846](https://doi.org/10.4103/NRR.NRR-D-23-01846).
162. Liwen Zhou, Cathy Z. Yang, GD Bittner. PEG-fusion repair after peripheral nerve injuries enhances behavioral recovery and reduces self-mutilation in rat models. 2026. *Neurology International*. DOI: 10.3390/neurolint18050083.
163. Cathy Z. Yang, Liwen Zhou, Alexander M. Schafer, Alexa N. Olivarez, Guhan Periyasamy, Varun Gokhale, Rhea Sood, Henry Garcia, Arjun Agarwal, Joseph F. Alderete, George D. Bittner. PEG-fusion of viable sciatic nerve isografts restores axonal structure and behavioral recovery after segmental-loss sciatic nerve injuries in Lewis rats. 2026. *PLOS One*. DOI: 10.1371/journal.pone.0349204
164. Henry Garcia, Guhan Periyasamy, Varun Gokhale, Liwen Zhou, Alexander M. Schafer, Neha Nagarajan, Alexa N. Olivarez, Sushant Sanklipur, Yiming Hao, George D. Bittner. Local and non-local sensitization following repetitive von Frey filament testing in unoperated Sprague-Dawley and Lewis rats. 2026. *Sensory Neuroscience*. DOI: 10.1002/sen2.70033.
165. Alexa N. Olivarez, Cathy Z. Yang, Liwen Zhou, Michelle Mikesch, Cameron L. Ghergherehchi, Henry A. Garcia, Alexander M. Schafer, Guhan Periyasamy, Phuong Vy Nguyen, Yiming Hao, Arjun Agarwal, Varun Gokhale, Rhea Sood, Neha Nagarajan, Sushant Sanklipur, George D. Bittner. Delayed repair of singly transected and segmental-loss peripheral nerve injuries using optimized PEG-fusion procedures and stored viable peripheral nerve allografts. 2026. *Journal of Translational Medicine*. In Press. <https://doi.org/10.1186/s12967-026-08573-5>.

Submitted in Review 2026

- He, Weilong; Yang, Cathy; Shi, Xi; Wang, Yanxing; wang, wenliang; Schafer, Alexander; Artman, Brinkley; Zhou, Liwen; Liu, Xiangping; Yu, Sihan; Tang, Kai Wing Kevin; Jeong, Jinmo ; He, Zhecheng; Lozano, Anakaren; Garcia, Henry; Olivarez, Alexa; Seeley, Erin; Ren, Pengyu; Bittner, George D.; Wang, Huiliang. 2026. Machine-Learning-Guided Design of Host–Guest Nanotherapeutics for Ultrasound-Programmable Drug Delivery in Pain Management. Under review at Journal of American Chemical Society.
- Marshal L. Mencil, George D. Bittner. Vesicle migration to plasmalemmal lesions depends on both active transport and passive cytoplasmic bulk flow in crayfish giant axons and *Xenopus* oocytes: implications for all eukaryotic cells. 2026. Under review at FASEB.
- Marshal L. Mencil, George D. Bittner. Hagen-Poiseuille distributed-pressure model of osmotically-driven cytoplasmic flow in severed axons. 2026. Submitted to Biophysics Journal.
- Justin C. Burrell, Tomisin Latona, Henry Garcia, David R. Clizbe, Mykhailo M. Tatarchuk, Liwen Zhou, Carlos A. Toro, Alexa N. Olivarez, Phuong Vy Nguyen, Cathy Z. Yang, George D. Bittner, Christopher P. Cardozo, D. Kacy Cullen, Boldine inhibits SARM1 NADase Activity and Preserves Axonal Integrity After Nerve Injury. 2026 Submitted to Nature Communications.

In preparation

- Marshal L. Mencil, Rhea Sood, Varun Gokhale, George D. Bittner. Plasmalemmal repair in a eukaryotic model cell: plug and patch mechanisms coexist in crayfish medial giant axons. 2026. To be submitted to the Journal of Cell Biology.
- Marshal L. Mencil, George D. Bittner. Artificially-induced plasmalemmal sealing of transected axons. 2026. To be submitted to Nature Neuroscience.

DETAILED RESEARCH SUPPORT

G. Bittner = sole P.I. unless otherwise noted; direct and indirect and total costs

Previous research support since 2019

1) Lone Star Paralysis Foundation

- a. **Title:** Enhanced Regeneration and Repair of Severed Spinal and PNS Axons
- b. **Project number**
- c. **Effort** 1% [0.12 person-months]
- d. **Performance Period**

9/2019-5/2020	\$60,000
5/2020 – 3/2021	\$50,000
3/2021 - 1/2024	\$195,000 direct costs to support postdoctoral fellows on spinal research
- e. **Agency:** Lone Star Paralysis Foundation
- f. **POC:** Doug English, 7900 FM 1826, Bldg. II Rm. 105, Austin, TX 78737
- g. **Specific Aims:** Gift for no Specific Aims but rather to to modify our PEG-fusion technology to repair segmental-loss spinal cord and PNS injuries.
- h. **Brief description of goals** The goal is to modify our PEG-fusion technology to repair segmental-loss spinal cord and PNS injuries. As a gift, all funds are direct costs only with no overhead costs to support pilot studies in basic research with no specific Aims
- i. **Overlap:** No specific scientific or budgetary overlap

2) DOD PRORP

- a. **Title:** Immediate repair with accelerated recovery from peripheral nerve injury using PEG-fusion technologies
- b. **Project Number:** W81XWH-19-2-0054. Log # OR180077.
- c. **Effort:** 10% [1.2 person-months]
- d. **Performance Period:** 9/5/2019 – 9/14/2022 (\$824,911 total costs)
- e. **Agency:** DOD PRORP

- f. **POC:** Miriam Redington, Science Officer; 301.619.3477 Miriam.E.Redington.CIV@mail.mil
- g. **Specific Aims**
 - Aim 1.** Extend the time for successful PEG-fusion repair of single transection PNIs segmental ablation-type PNIs with allografts in a rat sciatic nerve model.
 - Aim 1A1.** Determine effects of 0.5% and 1% MB.
 - Aim 1A2.** Train new lab manager, Dr Cathy Yang (hired 6/2/2020) in behavioral testing, TEM, IHC, and microsurgery required for PEG-fusion of singly cut and ablated segment sciatic nerves, the latter called PEG-fused PNAs.
 - Aim 1A3.** Determine the maximum time after a PNI for successful PEG-fusion repair.
 - Aim 1B.** Short term (1-2 min) exposure to high concentrations (50%w/w) of 3.235 kD PEG by itself reduces inflammatory responses in ablation type PNIs in wildtype SD/SD rat host and donor allograft repair.
 - Aim 1C.** Allografts can be stored at least 72h in Plasmalyte at 4°C and successfully used for PEG-fusion repair of ablation-type PNIs.
 - Aim 2** at JHU and SA (RESTOR, METIS)
 - Aim 2A-C.** Determine if PEG-fusion repairs of single transection and ablation-type PNIs using a large animal model (swine median nerve) having nerve diameters and immune responses more like humans are comparable to results of Aims 1A-C using a small animal model (rat sciatic). In Aim 2, all surgeries will be done at Johns Hopkins or RESTOR and tissues sent to UTA for processing.
 - Aim 2A.** Single transection or ablation type PNIs in swine median nerves can be successfully repaired by PEG-fusion at least 24h p.i. without any intervention.
 - Aim 2B.** Single transection or ablation type PNIs in swine median nerves can be successfully repaired by PEG-fusion at least 36h p.i. and reduce inflammation if MP is directly applied to the lesioned area immediately after PEG-fusion repair.
 - Aim 2C.** Allografts of swine median nerves can be stored at least 72h in Plasmalyte at 4°C and successfully used for PEG-fusion repair of ablation-type PNIs at 24 or 36h p.i.
- h. **Brief description of goals:** The goal is to modify our PEG-fusion technology to repair peripheral nerve injuries with viable *isografts*.
- i. **Overlap:** None

3) UT Austin

- a. **Title:** Novel PEG-fusion therapy for acute and chronic spinal cord injury
- b. **Project Number:** 19-1774-13
- c. **Effort:** 10% [1.2 person-months]
- d. **Performance Period:** 1/1/2023 – 12/31/2023 (\$125,000)
- e. **Agency:** University of Texas at Austin
- f. **POC:** Michael Martindale, mamartindale@austin.utexas.edu
- g. **Specific Aims/tasks:** As a gift, none other than to determine success of PEG-fusion for 0-14d after acute spinal cord injury using bridge and spanning methods of repair.
- h. **Brief Description of goals:** Determine success of PEG-fusion for 0-14d after acute spinal cord injury using bridge and spanning methods of repair.

4) DOD AFIRM III

- a. **Title:** Multimodal approach to improve functional recovery following acute and delayed nerve repair [for single transections repaired by PEG-fused neurorrhaphy and segmental loss ablations repaired by PEG-fused *autografts*]
- b. **Project Number:** W81XWH2020029
- c. **Effort:** 10% [1.20 person-months]

- d. **Performance Period:** 12/1/21 – 09/30/23 (\$419,286 total costs for UT-Austin)
- e. **Agency:** Henry Jackson Foundation (DOD AFIRM III subcontract [PI: Alderete])
- f. **POC:** Curtis McNish, Henry Jackson Foundation, San Antonio, TX
- g. **Specific Aims:**
 - Aim 1:** Obtain multimodal PEG- fusion baseline data and Environmental Augmentation data on female *Sprague Dawley* rat sciatic, single cut, nerve model systems for behavioral recovery (SFI, von Frey tests), axonal/NMJ/muscle morphology and function (CAPs, CMAPs). Months 0-12
 - Aim 1A:** Train four surgeons from DOD RESTOR San Antonio to PEG-fuse singly cut rat sciatic nerves. assayed by weekly SFI behavioral tests for 6 weeks. 6 rats/surgeon. 24 Sprague Dawley (SD) chronic rats. Months 0-6.
 - Aim 1B:** Baseline Data . PEG-fuse *singly cut* Sprague Dawley rat sciatic nerves enhanced by FK506 application assayed by behavioral recovery (SFI, von Frey tests), axonal/NMJ/muscle morphology and function (CAPs, CMAPs). Compare to PEG and NC historical data. 15 Sprague Dawley (SD) chronic rats. Months 4-12
 - Aim 2:** Baseline data and Environmental Augmentation data. Obtain multimodal PEG- fusion baseline data on female *Lewis* rat sciatic, autograft, nerve model systems for behavioral recovery (SFI, von Frey tests), axonal/NMJ/muscle morphology and function (CAPs, CMAPs). Months 0-24
 - Aim 2A.** Baseline Data. PEG-fuse and Negative Control (NC) *autografts* of 0.5cm length sampled 3 each at 7,21,42d PO for axonal/NMJ/muscle morphology and function (CAPs, CMAPs) and at least 6 each weekly for 42d for behavioral function (SFI, von Frey tests). 15 rats for each PEG and NC protocol. 30 chronic Lewis rats, 15 acute donor Lewis rats
 - Aim 2B.** Baseline Data. PEG-fuse and Negative Control (NC) autografts of 1.0 cm length sampled 3 each at 7,21,42d PO for axonal/NMJ/muscle morphology and function (CAPs, CMAPs) and at least 6 each weekly for 42d for behavioral function (SFI, von Frey tests). 15 rats for each PEG and NC protocol. 30 chronic Lewis rats, 15 acute donor Lewis rats Months 8-22
 - Aim 2C:** Environmental Augmentation data. PEG-fuse and Negative Control (NC) autografts of 1.0 cm length sampled 3 each at 21,42d PO for axonal/NMJ/muscle morphology and function (CAPs, CMAPs) and at least 6 each weekly for 42d for behavioral function (SFI, von Frey tests). 12 rats for this PEG protocol. 12 chronic Lewis rats, 6 acute donor Lewis rats Months 12-22
- h. **Brief description of goals:** Train SA surgeons in PEG-fusion and to examine some specific aspects of PEG-fusion in singly transected PNIs repaired by neurorrhaphy and segmental loss PNAs repaired by isograft PNAs.
- i. **No Overlap**

5) Neuraptive

- a. **Title:** Novel PEG-fusion therapy for acute and chronic spinal cord injury
- b. **Project Number:** 26-7724-56
- c. **Effort:** 10% [1.2 person-months]
- d. **Performance Period:** /1/2023-12/31/2023 (\$125,000)
- e. **Agency:** Neuraptive Therapeutics, Inc, POC matching funds (see #3 above)
- f. **POC:** Contract with Neuraptive
- g. **Specific Aims:**
 - Aim 1:** Obtain multimodal PEG- fusion baseline data and Environmental Augmentation data on female *Sprague Dawley* rat sciatic, single cut, nerve model systems for behavioral recovery (SFI, von Frey tests), axonal/NMJ/muscle morphology and function (CAPs, CMAPs). Months 0-12
 - Aim 1A:** Train four surgeons from DOD RESTOR San Antonio to PEG-fuse singly cut rat sciatic nerves.\ assayed by weekly SFI behavioral tests for 6 weeks. 6 rats/surgeon. 24 Sprague Dawley (SD) chronic rats. Months 0-6.
 - Aim 1B:** Baseline Data . PEG-fuse *singly cut* Sprague Dawley rat sciatic nerves enhanced by FK506 application assayed by behavioral recovery (SFI, von Frey tests), axonal/NMJ/muscle morphology and function (CAPs, CMAPs). Compare to PEG and NC historical data. 15 Sprague Dawley (SD) chronic rats. Months 4-12

Aim 2: Baseline data and Environmental Augmentation data. Obtain multimodal PEG- fusion baseline data on female *Lewis* rat sciatic, autograft, nerve model systems for behavioral recovery (SFI, von Frey tests), axonal/NMJ/muscle morphology and function (CAPs, CMAPs). Months 0-24

Aim 2A. Baseline Data. PEG-fuse and Negative Control (NC) *autografts* of 0.5cm length sampled 3 each at 7,21,42d PO for axonal/NMJ/muscle morphology and function (CAPs, CMAPs) and at least 6 each weekly for 42d for behavioral function (SFI, von Frey tests). 15 rats for each PEG and NC protocol. 30 chronic Lewis rats, 15 acute donor Lewis rats

Aim 2B. Baseline Data. PEG-fuse and Negative Control (NC) autografts of 1.0 cm length sampled 3 each at 7,21,42d PO for axonal/NMJ/muscle morphology and function (CAPs, CMAPs) and at least 6 each weekly for 42d for behavioral function (SFI, von Frey tests). 15 rats for each PEG and NC protocol. 30 chronic Lewis rats, 15 acute donor Lewis rats Months 8-22

Aim 2C: Environmental Augmentation data. PEG-fuse and Negative Control (NC) autografts of 1.0 cm length sampled 3 each at 21,42d PO for axonal/NMJ/muscle morphology and function (CAPs, CMAPs) and at least 6 each weekly for 42d for behavioral function (SFI, von Frey tests). 12 rats for this PEG protocol. 12 chronic Lewis rats, 6 acute donor Lewis rats Months 12-22

- h. **Brief description of goals:** UTA subcontract to train SA surgeons in PEG-fusion and to examine some specific aspects of PEG-fusion in singly transected PNIs repaired by neurorrhaphy and segmental loss PNAs repaired by isograft PNAs.
- i. **Brief Description of goals:** Determine success of PEG-fusion for 0-14d after acute spinal cord injury using bridge and spanning methods of repair
- j. **Overlap:** None

Current research support

1) Lone Star Paralysis Foundation

- a. **Title:** Enhanced Regeneration and Repair of Severed Spinal Axons
- b. **Project Number:** gift
- c. **Effort:** 1% [0.12 person-months]
- d. **Performance Period:** 03/2021 – 01/2026 (Gift: \$195K Total Costs to support postdocs on spinal research)
- e. **Agency:** Lone Star Paralysis Foundation
- f. **POC:** Doug English, 7900 FM 1826, Bldg. II Rm. 105, Austin, TX 78737
- g. **Specific Aims:** NA as a gift used to develop techniques to modify our PEG-fusion technology to repair spinal cord and PNS injuries.
- h. **Brief description of goals:** The goal is to modify our PEG-fusion technology to repair spinal cord and PNS injuries. As a gift, all funds are direct costs only with no overhead costs to support pilot studies in basic research with no specific Aims
- i. **Overlap:** None.

2) NIH-R-01

- a. **Title:** Translating Novel Peripheral Nerve Allograft Technologies Toward Clinical Use
- b. **Project Number:** R01NS128086
- c. **Effort:** 10% [1.2 person-months]
- d. **Performance Period:** 5/1/2023 – 4/30/2027 (\$2,220,019 Total; ~\$1.5M UT-Austin portion)
- e. **Agency:** NIH NINDS
- f. **POC:** Doe Kumsa, doe.kumsa@nih.gov
- g. **Specific Aims:**
Aim 1. Develop and merge axon fusion and localized ISN. Confirm strong preliminary data that show proof of principle for axon fusion and localized ISN separately and together are complementary. Determine the fate of donor cells within the PNAs and their contribution to long-term nerve function.

Aim 2: Extend the post-injury (PI) time for successful PEG-fusion of a PNA. Confirm preliminary data that PEG-fusion can be achieved at least 36 h post injury (PI). Confirm that storage solutions and conditions can be developed to slow Wallerian degeneration. Collaborate with a licensed human donor tissue procurement organization to translate the findings in rats to human nerve segments recovered under realistic conditions.

Aim 3: Confirm that axon fusion and localized ISN separately and together can also be obtained in a larger animal (swine). Extend preliminary findings of successful axon fusion in swine and combine with method of localized ISN in both short (3 cm) and long (8 cm) ablation defects.

- h. Brief description of goals: Confirm some data needed to translate use of viable allografts in rats and pigs toward clinical trials**
- i. Overlap: None**

3) DOD RTRP

- a. Title:** A multi-modal/multi-institutional approach to reduce VCA immunogenicity and improve function
- b. Project Number:** HT94252320019
- c. Effort:** 10% [1.2 person-months]
- d. Performance Period:** 09/30/23 – 09/29/26
- e. Agency:** DOD CDMRP RTRP
- f. POC:** Leslie Beltran, leslie.a.beltran2.civ@health.mil
- g. Specific Aims:**
 - Aim 1** examine PEG-fusion repair of nerves in VCAs
 - Aim 2** examine localized immune suppression
 - Aim 3** test the combined treatment of axon PEG-fusion of VCAs and localized immune suppression.
- h. Brief description of goals:** Determine how prolonged denervation of VCAs influences VCA immunogenicity utilizing a novel polyethylene glycol (PEG-fusion) technology and to develop a novel localized immunosuppression (ISN) technology to maintain ISN by less-toxic regimens of maintenance ISN.
- i. Overlap: None**

4) DOD PRORP

- a. Title:** Peripheral nerve segmental-loss injuries repaired with polyethylene glycol (PEG)-fused allografts
- b. Project Number:** OR240036
- c. Effort:** 5% [0.6 person-months]
- d. Performance Period:** 09/30/2025 – 09/29/27
- e. Agency:** DOD CDMRP PRORP
- f. POC:** Miriam Redington, Miriam.E.Redington.CIV@mail.mil
- g. Specific Aims:**
 - Aim 1.** In rat sciatic nerves as a model system, confirm that a locally applied immune-suppressant (Methyl Prednisolone: MP) significantly reduces the immune response and may enhance behavioral recovery of segmental-loss PNIs repaired with PEG-fused VPNAs.
 - Aim 2.** In swine median nerves as a model system, confirm rat data on that locally applied MP significantly reduces the immune response and may enhance behavioral recovery of segmental-loss PNIs repaired with PEG-fused VPNAs.
- h. Brief description of goals:** We propose to confirm preliminary data for PEG-fused VPNAs with recovery benefits demonstrated in rats as a small animal model can be translated to a larger animal model (swine) as the next logical step toward clinical translation in military and civilian settings.
- i. Overlap: None with any other grant (this is the project currently under consideration for funding)**

Pending research support**1) TRC4 application #1**

- a. **Title:** Traumatic segmental-loss peripheral nerve injuries successfully repaired by a combination of novel, recently patented, multi-disciplinary technologies
- b. **Project Number:** TRC4-2025-
- c. **Effort:** 10% [1.2 person-months]
- d. **Performance Period:** 10/01/2025 – 06/30/27
- e. **Agency:**TRC4-2025-0000000453
- f. **POC:** TBD
- g. **Specific Aims:**
Aim 1: Confirm at UTA that our L-ISNs—methylprednisolone (MP), sirolimus, belatacept, each having a different mechanism of action—either alone or in combination, significantly improve outcomes following delayed PEG-fusion repair using S-S VPNAs and reduce neuropathic pain in a small animal model (rat sciatic nerves) of TSL-PNIs.
Aim 2: Validate at UTHSCSA the most effective Aim 1 protocol in a large animal model (swine median nerves) of TSL-PNIs.
- h. **Brief description of goals:** Begin case studies and clinical trials upon completion of TRC4
- i. **Overlap:** Controls leveraged from NIH and PRORP grants

2) TRC4 application #2

- a. **Title:** Traumatic spinal cord injuries successfully repaired by a combination of novel, recently-patented, multi-disciplinary technologies
- b. **Project Number:** TRC4-2025-0000000505
- c. **Effort:** 10% [1.2 person-months]
- d. **Performance Period:** 10/01/2025 – 06/30/27
- e. **Agency:**TRC4-
- f. **POC:** TBD
- g. **Specific Aims:** **Aim 1:** Confirm PEG-fusion technology and PEG-fused VPNAs can be used to repair traumatic SL-SCIs using a small-animal model system (rat spinal cords ablated at T9-T10). **Aim 2.** Develop more clinically relevant SCI repair models by delaying PEG-fusion repair and using statically stored (S-S) VPNAs. Outcome measures include immediate restoration of compound action potentials (CAPs) and intra-axonal dye diffusion across PEG-fused SL-SCIs, immune-toleration of donor VPNAs, and behavioral recovery at 40-80d post repair (p-r), as assessed by Basso, Beattie, Bresnahan (BBB) locomotor tests.
- h. **Brief description of goals:** Provide basic science data to to move toward clinical translation
- i. **Overlap:** None

3) TRC Application #3

- a. **Title:** Combining Ultrasound-Triggered Anesthetic Delivery with Axonal PEG-Fusion for Traumatic Peripheral Nerve Injuries
- b. **Project Number:** TRC4-2025-0000000565
- c. **Effort:** 5% [0.6 person-months]
- d. **Performance Period:** 10/01/2025 – 06/30/27
- e. **Agency:**TRC4
- f. **POC:** TBD
- g. **Specific Aims:**
Aim 1. Engineering of ultrasound-triggered anesthetics drug release in vitro. Our preliminary results show that lidocaine and bupivacaine can be loaded into HOF-TATB for ultrasound-triggered release, enabling high precise neuromodulation and inhibition. We will now load these anesthetics into three other HOF nanoparticles with larger surface areas to achieve multiple and prolonged precise neuronal inhibition.

Aim 2. Confirmation of ultrasound-triggered anesthetics drug release in unoperated rats. We aim to confirm the effectiveness and safety of ultrasound-triggered anesthetic release from HOF@drug nanoparticles in unoperated rats. Our preliminary data showed that ultrasound stimulation significantly increased paw withdrawal thresholds in von Frey tests, with effects lasting up to five days after a single ultrasound-trigger. In this study, we will further optimize ultrasound parameters (peak pressure and duration) to enhance drug release and improve nerve block efficacy. To comprehensively evaluate pain modulation, we will assess reflexive pain (via von Frey, algometry, and thermal hyperalgesia), affective pain, and spontaneous pain, providing a full behavioral profile of analgesic effectiveness.

Aim 3. Optimization of chronic pain management by ultrasound-triggered anesthetics drugs in rat injury model. Our preliminary results showed that HOF@bupivacaine and HOF@lidocaine nanoparticles had significantly reduced toe chewing and improved motor function recovery in the rat sciatic nerve injury model. In this proposal, we plan to further confirm/improve the effectiveness of lidocaine and bupivacaine by shifting the initial injection to PO 3 days and increasing drug dose and injection frequency.

- h. Brief description of goals:** Provide basic science data to to move toward clinical translation
- i. Overlap:** None

4) NIH R-21 Resubmission

- a. Title:** Novel PEG-fusion therapy to repair spinal cord injuries (SCIs)
- b. Project Number:**
- c. Effort:** 10% [1.2 person-months]
- d. Performance Period:** 05/2026 – 11/2027 \$750,000
- e. Agency:** NIH
- f. POC:** TBD
- g. Specific Aims:** We now propose to confirm that PEG-fused VPNA technology, originally developed to repair SL-PNIs, can be used to restore STA connectivity in a small animal model system of SL-SCIs in rats as briefly summarized in the titles of our two Aims:
Aim 1. Confirm PEG-fusion technology and PEG-fused VPNA can be used to repair traumatic SL-SCIs.
Aim 2. Develop more clinically relevant SL-SCI repair models by delaying PEG-fusion repair and using statically-stored VPNA (S-S VPNA). Successful PEG-fusion in both Aims will be assessed by electrophysiological recordings (CAPs) to confirm axonal continuity, electron microscopy to analyze axonal numbers and diameters, immuno-histochemistry (IHC) to analyze immune responses, and the BBB locomotor test to assess behavioral recovery.
- h. Brief description of goals:** The goal is to modify our PEG-fusion technology to repair spinal cord injuries.
- i. Overlap.** Some with TRC-Spinal.

PATENTS

1. *Materials and food additives free of endocrine disruptive chemicals and method for detecting endocrine disruptive activity.* Issued US 6,894,093 claiming priority to US provisional 60/290,595 filed 5/10/2001.
2. *Immediate Axon Fusion with Polyethylene Glycol.* (UT Tech 5954 BIT). EFS ID 9537805, Issued US 9,955,973, US 10,136,894, and US 10,398,438 claiming priority to PCT/US2012/026764 filed on 02/27/2012 (and to US provisional 61/446,803 filed on 2/25/2011 by G.D. Bittner as an individual).
3. *Repair of Spinal Lesions by PEG-fusion.* (UT Tech 8524 BIT). Provisional patent filed 4/29/2022.
4. *PEG-fusion Spinal Repair* (UT Tech 7744 BIT). Filed US 18/860,254 claiming priority to PCT/US2023/066136 filed 04/24/2023 and US provisional 63/335,430 filed on 04/27/2022.
5. *Nerve Coaptation Apparatus.* (UT Tech 5954 BIT). US 9,955,973 issued 5/1/2018.

6. *Nerve Treatment Methods*. US 10,136,894 issued 11/27/2018.
7. *Nerve Treatment Methods*. US 10,398,438 issued 9/5/2019.
8. *Kits for nerve treatment methods*. US patent application s/n 16/167,476 filed 10/22/2018.
9. *Kits for nerve treatment methods*. US patent application s/n 17/578,053 filed 1/18/2022.
10. *Polyethylene Glycol-Fusion in Nerve Repair provisional patent application*. (UT Tech 7744 BIT). s/n 63/335,450 filed 4/27/2022 converted to PCT/US2023/066136 on 4/24/2023.
11. *Storage Solutions for Maintaining of Axonal Viability provisional patent application*. (UT Tech 8068 BIT and 8524 BIT). Filed US 18/514,277 claiming priority to US provisional 63/384,710 filed 11/22/2022.
12. *Ultrasound-triggered anesthetic drug delivery for on-demand chronic pain management* (UT Tech 8639 WAN). Filed US provisional 63/755,407 filed 02/07/2025.

Patent License Agreements:

On October 19, 2018, Neuraptive executed an exclusive license agreement with the University of Texas at Austin (UT) to UT Tech 5954.

The continuation issued as US 10,136,894 was filed to create a claim set that more comprehensively protects the PEG-fusion technology. Neuraptive directed the drafting of the claims in this continuation with the assistance of counsel, Dave Parker of Parker Highlander (Austin). In the '891 case, there are claims protecting the method of inducing axonal fusion within a severed nerve using the sequential administration of pharmaceutical agents including the membrane fusogen PEG and the antioxidant methylene blue. The specification is well detailed and reduction to practice of the method is thorough. Dependent claims are directed at more specific embodiments.

In September 2017, Neuraptive executed an exclusive license agreement with the University of Texas at Austin (UT) to a patent application protecting PEG-fusion. The license agreement between Neuraptive and UT secures exclusive rights to U.S. Patent Application No. 15/597,891, entitled "NERVE TREATMENT METHODS," by George D. Bittner et al., which is a continuation filing of U.S. Patent Application No. 14/001,431 (PCT/US12/26764) and derived from Provisional applications No. 61/446,803 and No. 61/578,930. The priority date for this case is February 25, 2011.

The continuation was filed to create a claim set that more comprehensively protects the PEG-fusion technology. Neuraptive directed the drafting of the claims in this continuation with the assistance of counsel, Dave Parker of Parker Highlander (Austin).

The US Patent and Trademark Office has issued a Notice of Allowance for the '891 case for claims protecting the method of inducing axonal fusion within a severed nerve using the sequential administration of pharmaceutical agents including the membrane fusogen PEG and the antioxidant methylene blue. The specification is well detailed and reduction to practice of the method is thorough. Dependent claims are directed at more specific embodiments.

ADDITIONAL SERVICES AND RESEARCH

In my off-campus research begun in 2000, I developed sensitive *in vitro* robotic assays to detect xenobiotic chemicals having mammalian hormonal activity (i.e. endocrine disruptors). I used such data to develop polymer formulations and bio-engineer protocols to produce plastic and silicone products that do not release chemicals having hormonal activity (especially estrogenic or androgenic activity). In the last decade, this basic and applied research has been funded by more than 15 NIH and NSF grants totaling over \$8M (over \$12M from all sources). **The University of Texas at Austin was also recognized on all papers published describing these data.** I believe that my scientific colleagues and I were the leading researchers in this field, i.e., an intersection of cellular/molecular endocrinology and polymer chemistry that has obvious implications for human health and environmental contamination. This off-campus research still has much potential to help solve a major health problem that until recently has gone largely

unrecognized—the release of xenobiotic chemicals having hormonal activity by plastics and other substances. Our conclusions are strongly supported by scientists and administrators at NIH and NSF—and strongly

This off-campus research was performed by CertiChem (aka CCI) and PlastiPure (aka PPI). The mission of CertiChem was to develop sensitive, accurate, high throughput assays to detect hormonal activity. CertiChem is primarily an R&D entity. The mission of PlastiPure was to develop polymer formulations, resins and manufacturing procedures/protocols for plastic and silicone-based products that do not release chemicals having hormonal activity. Our data showed that almost all existing plastics and silicone products release chemicals having easily detectable estrogenic activity. PlastiPure completed the transition from an R&D entity in 2008 to a viable commercial entity in 2011. We closed PPI as a commercial entity in the summer of 2020.

As consulting CEO for CertiChem and consulting Chief Scientific Officer for PlastiPure, my main task was to direct scientific research and development of patentable chemicals, formulations and/or products, and direct and write SBIR grant proposals in collaboration with PIs employed by the firm. We are selling and closing CCI by January 2021. An NSF or NIH SBIR PI (or co-PI) must be employed at least 51% time by CertiChem or PlastiPure (My total time combined for both firms was less than 18%). In this capacity, I was largely responsible for writing peer-reviewed research papers, deciding the Specific Aims and directing the writing of the following grants awarded since 2001:

For CertiChem (PI = C.Z. Yang):

NIH/NIEHS R44ES026470 01-01 Validation of an In Vitro Assay for Androgenic Activity Total award \$1,213,515	~12/1/2015 - 5/30/2018
NIH/NIEHS R43 ES025075-01 Safer Personal Care Products Total Award \$141,079	09//01/2014 – 2/28/2015
NSF 0912601-03 Food antioxidants With or Without Estrogenic Activity Total award: \$500,000 Supplement about \$400,000	09/15/2010 – 8/31/2014
NSF 0912601-01 Food antioxidants With or Without Estrogenic Activity Total award: \$99,898	07/01/2009 – 12/31/2009
NIH/NIEHS 5R44ES014806-03 In Vitro Robotic Assay for Anti-Estrogenic Activity Total award: \$446,359	9/01/2008 – 8/31/2009
NIH/NIEHS 2R44ES014806-02 In Vitro Robotic Assay for Anti-Estrogenic Activity Total Award: \$476,510	9/11/2007 – 8/31/2008
NIH/NIEHS 1R43ES011806-01 In vitro Robotic Assay for Anti-Estrogenic Activity Direct Cost: \$72,788, total Cost = \$121,756	06/01/2006 – 12/31/2006
NIH/NIEHS 1R44ES011469-02 In vitro Robotic Assay for Estrogenic Activity Direct Cost: \$901,209, Total Cost: \$1,350,618	04/01/2004 – 04/30/2007

NIH/NIEHS 1R43ES011469-01 04/01/2001 – 10/01/2001
In vitro Robotic Assay for Estrogenic Activity
Direct Cost: \$75,000

For PlastiPure

NIEHS 1 R43 ES018083-02 PI = D. Kline 08/20/2013 – 8/19/2015
A Hard and Clear, Estrogen-Free Replacement for Bisphenol-A Based Polycarbonates
Total Cost: \$956,000

NSF IIP-1127553 PI = D. Kline 09/15/2011-08/31/2014
Flexible Plastic Packaging Without Estrogenic Activity (EA)
Total cost: \$488,236
Supplement: \$100,000

NIEHS 1R44ES019442-02,03 PI = S. Yaniger 01/01/2011 – 2/28//2013
Baby bottles that release no chemicals having estrogenic activity
Total Cost: \$1,285,871

NIEHS 1R44ES019442-01 PI = S. Yaniger 09/01/2010 – 12/31/2010
Baby bottles that release no chemicals having estrogenic activity
Total Cost: \$141,830

NSF IIP-1013865 PI = D. Klein 07/01/2010 - 12/31/2010
Flexible Plastic Packaging Without Estrogenic Activity (EA)
Total Cost: \$150,000

NIEHS 1 R43 ES018083-01 PI = S. Yaniger 06/01/2010 – 11/30/2010
A Hard and Clear, Estrogen-Free Replacement for Bisphenol-A Based Polycarbonates
Total Cost: \$222,248

NIEHS 2R44ES016964-02 PI= S. Yaniger / D. Klein 08/14/2009 – 07/31/2010
Estrogen free Polymer Formulations for Food Packaging and Baby Products
Total Cost: \$1,207,230

NIEHS 1R43ES016964-01 PI = J. Laiz 06/01/2008 – 11/30/2008
Estrogen Free Polymer Formulations for Food Packaging and Baby Products
Total Cost: \$134,264

CCi was selected by ICCVAM/NICEATM to perform a single-lab validation study using MDA-Kb2 cells to detect androgenic activity (AnA in robotic and manual formats. Items **C1** and **C2** below lists some of our basic (**C1**) and applied (**C2**) peer-reviewed publications. My role in both firms was to guide their scientific direction and take the lead in writing grant proposals and peer-reviewed papers.

At CCi, we developed, robotized, and validated with ICCVAM/NICEATM/OECD a battery of *in vitro* assays using MCF-7 cells or BG1-Luc cells to detect EA** and MDA-Kb2-cells to detect AnA** that are the most accurate and sensitive currently available, in part due to our developing Confirmation Assays. Using these assays, we have demonstrated that the great majority of plastic, silicone and personal care products (PCPs) release a variety of chemicals having EA**/AnA**. Using these assays, we have created a knowledge base of commonly-used chemicals and materials that are EA**/AnA** or EA/AnA**-free and can be used to make plastics and PCPs. Using this knowledge base and a knowledge of polymer and other chemistry, we have identified or developed formulations for products that leach **no** chemicals having detectable EA**/AnA** after extraction with hydrophilic or hydrophobic solvents or after common-use stresses of heating, boiling microwaving, UV radiation. This approach differs from that currently used by various commercial, academic, regulatory or government entities that address

problematic ingredients having EA**/AnA** (e.g., BPA) one-at-a time without considering that many other ingredients also have significant hormonal activity -- and that more than one solvent is needed for appropriate extraction and that products need be exposed to common use stresses that can create new chemicals. Furthermore, replacing chemicals one-by-one is much more costly than reformulating to eliminate all ingredients having EA**/AnA**.

At CCI, my fellow scientists and I believe that when a large variety of EA**/AnA**-free** products become available to the public, this will reduce the potential health problems associated with EDCs of which the most frequent types of hormonal activity in the “chemical commons” are from leached chemicals having EA**/AnA**. I believe that CCI is *the* leading laboratory in the intersection of hazard analysis, public awareness and genuine health-related product solutions to a problem now being recognized by government agencies and consumer groups.

C1. Representative peer-reviewed papers on assays to detect EDCs with EA

C.Z. Yang, W. Casey, M. Stoner, G.J. Kollessery, A.W. Wong and G.D. Bittner. 2014. A robotic MCF-7:WS8 cell proliferation assay to detect agonist and antagonist estrogenic activity. *Toxicological Sci.* 137:335-349.

M.A.Stoner, C.Z.Yang, and G.D.Bittner. 2014. A Robotic BG1Luc Reporter Assay to Detect Estrogen Receptor Agonists. *Toxicology in Vitro.* 28: 916–925.

These two papers describe our robotic assays for EA that have very high concordance with ICCVAM/ECCVAM meta-analyses for test chemicals. Specifically, our robotic BG1Luc assay has high (100%) concordance for the presence or absence of detectable EA with ICCVAM meta-analyses for 27 test chemicals. When chemicals tested in common by both assays are compared, this robotic BG1Luc assay has 100% concordance with the ICCVAM manual BG1 assay for 27 test chemicals, 100% concordance with CER1 for 20 test chemicals, and 100% concordance with a robotic MCF-7 assay for 27 test chemicals. In contrast, the yeast estrogen screening (YES) assay has only 47% (7/15) concordance with any of these other assays for 15 test chemicals. When sensitivities of these different assays are compared to detect the EA of the same test chemical as defined by its EC50, our robotic BG1Luc assay is more sensitive for 15/20 and one tie out of 21 chemicals reported by ICCVAM meta-analyses, i.e., is more sensitive ($p < 0.001$, Chi Squared test) for 15 chemicals whose EC50s can be directly compared. Compared to ICCVAM BG1 manual data for 22 chemicals, our robotic BG1Luc assay is more sensitive for 14/22 ($p < 0.001$). Compared to CER1 manual assays, the robotic BG1 is more sensitive for 18/20 test chemicals ($p < 0.0001$). Compared to the YES assay, the robotic BG1 assay is more sensitive ($p < 0.0001$) for 15/15 chemicals whose EC50s can be directly compared. In contrast, with respect to the robotic MCF-7 assay as reported for ICCVAM validation results, the BG1Luc is more sensitive for only 4/27 chemicals whose EC50 can be directly compared, i.e. the MCF-7 assay is more sensitive (and has as high a concordance) with a high significance ($p < 0.0001$) compared to our EC50 from our robotic BG1Luc, ICCVAM manual BG1Luc, CER1, and YES assays and ICCVAM EC50 meta-analyses.

C2. Representative peer-reviewed papers on release of EDCs having EA from various consumer products.

C. Z. Yang, S. I. Yaniger, V. C. Jordan, D. Klein and G.D. Bittner. 2011. Most Plastic Products Release Estrogenic Chemicals: A Potential Health Problem That Can Be Solved. *Environmental Health Perspectives.* 119: 989-996.

S.L. Myers, C.Z.Yang, G.D. Bittner, K.L. Witt, R.R. Tice, D.D. Baird. 2014. Estrogenic and Anti-Estrogenic Activity of Off-The-Shelf Hair and Skin Products. *Journal of Exposure Science and Environmental Epidemiology.* 25:271-277.


G.D.Bittner, M. A. Stoner, C. Z. Yang. 2014. Estrogenic chemicals often leach from BPA-free plastic products that are replacements for BPA-containing polycarbonate products. *Environmental Health* 13:41-54.

G.D. Bittner, M.S. Denison, C. Z. Yang 2014. Chemicals having estrogenic activity can be released from some BPA-free, hard and clear, thermoplastic resins. *Environmental Health.* 13:103-121.

These papers report that consumer products in two general categories---plastics and personal care products (PCPs) – release chemicals that have easily-detectable EA as measured by our two robotic assays for EA. The data for PCPs are described in the body of this proposal. The results of our two hazard studies of BPA-replacement resins (aka polycarbonate or PC resins) and PC-replacement products. Like PC resins, these PC-replacement resins are “hard, clear, and reusable”. Some (4/14) of these unstressed and stressed BPA-free resins leached chemicals having significant levels of EA, including one polystyrene, and three Tritan™ resins, the latter reportedly EA-free. Exposure to UV radiation in natural sunlight resulted in an increased release of EA from Tritan™ resins. Ten unstressed or stressed glycol-modified polyethylene terephthalate (PETG), cyclic olefin polymer (COP) or copolymer (COC) thermoplastic resins did not release chemicals with detectable EA under any test condition. Similarly, many unstressed and stressed, PC-replacement-products made from acrylic, polystyrene, polyethersulfone, and Tritan™ resins leached chemicals with EA, including products made for use by babies. Exposure to various forms of UV radiation often increased the leaching of chemicals with EA. In contrast, some BPA-free PC-replacement products made from glycol-modified polyethylene terephthalate or cyclic olefin polymer or co-polymer resins did not release chemicals with detectable EA under any conditions tested.

These two hazard assessment surveys showed that many BPA-free PC- replacement resins and products still leached chemicals having significant levels of EA, as did their BPA-containing PC counterparts they were meant to replace. That is, BPA-free did not mean EA-free. However, this study also showed that some PC-replacement resins and products did **not** leach chemicals having significant levels of EA. That is, EA-free PC-replacement resins and products can be made in commercial quantities at prices that compete with PC-replacement products that are not BPA-free. Since plastic products often have advantages (price, weight, shatter-resistance, etc.) compared to other materials such as steel or glass, our data show that is not necessary to forgo those advantages of plastics in order to avoid release into foodstuffs or the environment of chemicals having EA that may have potential adverse effects on our health or the health of future generations.

7/28/2026



George D. Bittner, AAAS Fellow
 Professor of Neuroscience
 Patterson Laboratories, Room 321
 University of Texas
 Austin, TX 78712
 512-923-3735 (C)
 512-471-9651 (F)
bittner@mail.utexas.edu