This spray can save a life,



And you can too.
Save a loved ones' life
With Narcan®.





Opioid Facts

- Opioids are a class of drugs that include legal and illegal drugs. Examples of opioids include fentanyl, heroin, and prescription painkillers.
- **34** Oklahomans die every month from unintentional prescription opioid overdose.
- There were 402 opioid-overdose deaths among American Indian/Alaska Natives from 2010-2015 in the United States.
- People who are addicted to prescribed opioid painkillers are 40x more likely to be addicted to heroin.

Source: http://poison.health.ok.gov
Source of Data: https://www.cdc.gov/drugoverdose/opioids/heroin.html
Oklahoma PMP AWARXE system were analyzed and compiled by the Oklahoma Department of Mental Health and Substance Abuse Services, Decision
Support Services

Who is at risk of an overdose?

Prescription opioids can be used to help relieve moderate-to-severe pain. These medications can be an important part of treatment but also can come with serious risks when taken incorrectly or with prolonged use.

Risks Are Greater With

- History of drug misuse or overdose
- Recent change in medication
- Depression or anxiety
- Sleep apnea
- 65 years and older
- Pregnancy

Signs of Opioid Overdose

- Slow and shallow breathing
- Unresponsive
- Tiny pupils
- Snoring or gurgling
- Cold or clammy skin
- Pale skin tone and bluish lips

Source: https://www.cdc.gov/drugoverdose

You can respond to opioid overdose with Narcan®

Narcan® is a medication used to reverse heroin and prescription opioid overdose. This is a safe and legal medication that is not addictive and cannot be abused.



Administer Narcan[®].

Perform rescue breathing or chest compressions.

=

After Narcan®, stay with person until help arrives.

4

Narcan® acts within 2-5 minutes. If the person does not wake up after a 5 minute period, give them a second dose.