


Multiple Trends in Alcohol and Drug Use and Treatment Utilization on Both Sides of the Border

Lynn Wallisch and Jane Maxwell, Center for Social Work Research, University of Texas at Austin



Today's Topics

- Why is the border of interest?
- Risk and protective factors
- Trends in substance use & disorders
- Comparing border and other populations
 - Off border cities, US Hispanics, colonias
- Comparing US and Mexico borders
- Desire for and use of treatment
- Related factors

Learning Objectives

- Knowledge about prevalence of substance use and disorders on both sides of Border and off Border.
- Knowledge about desire for, and use of, treatment on Border
- Understanding of correlates of substance disorders and desire for treatment.

US - Mexico Border States








The Unique Border Area

- Immigration, drug trafficking, security
- Fast-growing & dynamic region
- Foreign-born to 4th generation
- Complex blend of US & MX cultures




- 1/2 of US Hispanics live in CA & TX
- 8% of US Hispanics in border counties
- 2/3 of Mexican immigrants live in the four border states

The "Border" is not one homogeneous place!


- California ≠Arizona ≠ New Mexico ≠ Texas
- El Paso ≠ Laredo ≠ Rio Grande Valley
- Urban ≠ Colonias
- US ≠ Mexico

Primary Drug of Abuse at Admission to Treatment: 2012



TEDS

Drug Items Seized and Identified on the Texas Border: NFLIS 2013



Risk Factors

- Greater alcohol advertising and availability
- Lower cost of alcohol
- Lower & under-enforced legal drinking age
- Easier availability of Rx pharmaceuticals
- Young population age structure
- Drug trafficking
- Stresses of poverty, high unemployment, rapid population growth, acculturation, immigration insecurity

Protective Factors

- Strong family & social support systems
- Religiosity
- Lower levels of drug use in Mexico
- Drinking norms
- Immigrant advantage


Border Surveys

- 1996 1,665 residents of Brownsville, El Paso, Laredo and McAllen and 504 in colonias
- 2003 400 residents of El Paso, 400 in urban Lower Rio Grande Valley, 400 in colonias, 100 in trailer parks
- 2012 1,565 residents of US border,
 - 771 US off-border (San Antonio)
 - 1,649 residents of MX border,
 - 811 MX off-border (Monterrey)


Methods for In-Person Surveys

- Random samples of adults 18+ living in households
- Face-to-face interviews in English or Spanish
- Conducted by trained, bilingual, community residents
- Analyses used statistical procedures to adjust for survey design (probability of selection) and to weight the sample to represent population demographics.

2012 Respondent Characteristics



Lifetime & Past Year Alcohol Use Across Time (Border)



Binge Drinking


- 4+/5+ drinks on one occasion at least monthly in past year
- 20% of Border residents in 2012
- Same as off-border
- Similar in 2003
- Of concern when leads to impaired driving

Impaired Driving: NHTSA

- Mexican-Americans have high rates of alcohol-related crashes
- Border at high risk for DWI
- Hispanics less likely to consider DWI to be a safety problem and
- Less likely to think they will be arrested
- DPS data show Hispanics overrepresented in DWI but self-report data show underrepresentation


Impaired Driving

Likely to be Stopped for Driving While Intoxicated?




Impaired Driving


Ever Stopped or Arrested for Drunk Driving?



Impaired Driving



Lifetime & Past Year Illicit Drug Use Across Time (Border)




Which Illicit Drugs? 2012 Survey

- Marijuana: 11% past-year use
 - Identical on and off border
- Cocaine/crack: 6% past-year use
 - -- Border higher than off border (2.4%)
- Heroin, methamphetamine, hallucinogens: 1% or less.

Abuse of Rx Drugs: 2012 Survey

- 17% of US Border residents misused Rx drugs in past year
- This was twice as many as off Border
- Pain relievers (15%)
- Sedatives (9%) and stimulants (4%)

Past Year Abuse/ Dependence Across Time (Border)



Characteristics of People with SUDs (2012)

- Male (73%)
- 18-29 (47%) or 30-49 (45%)
- HS graduate (72%)
- Single (59%)
- Both alcohol and drug users (79%)
 - Illicit drugs only (37%)
 - Illicit + Rx (36%)

Substance Use Trends: Quick Summary

- PY drinking has increased (71% in 2012)
- Binge drinking stable (20%)
- PY illicit drug use has increased (12%)
 - MJ (11%), cocaine/crack (6%)
- Rx misuse twice as high on border (17%)
- AUD & DUD stable since 2003
- Border respondents more likely to have been stopped for DWI than off border

Comparing Border with Other Populations



Texas Off-Border




US as a whole




Colonias



Alcohol and Drug Use: Texas Border and Texas Interior



Percent of Border and Nonborder Texas Secondary Students Who Had Ever Used Drugs: 2012




Admissions to Texas DSHS-Funded Treatment-Border 1996-2013




1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013

Admissions to Texas DSHS-Funded Treatment-Nonborder 1996-2013



Past Year Alcohol and Drug Use Among Age 18-25: Border and Nationwide



2012 USMSARC and 2012 NSDUH

Colonias



Colonias

- Unincorporated, unregulated communities
- Lack of basic infrastructure (paved roads, electricity, drainage, police)
- High poverty & unemployment
- About 2300 individual colonias
- 20% of Texas border population















Alcohol and Drug Use: Urban Valley and Colonias



DSM-IV Alcohol and Drug Abuse and Dependence: Urban Valley and Colonias




Comparing US Border with Mexican Border






Alcohol and Drug Use on Both Sides of the Border



Alcohol and Drug Disorders on Both Sides of the Border



Substance Use Comparison: Quick Summary


- Alcohol, drug use and binge drinking are similar on and off border
- Rx drug misuse is twice as high on border than off border; AUD slightly higher on border
- Border = lower binge drinking than US Hispanics but higher AUD and DUD
- Colonias showed higher binge drinking and alcohol dependence than urban areas
- Use and disorders are higher on US side than MX side

Need and Desire for Treatment


Would Seek Professional Help for a Problem that Interfered with Day-to-Day Activities

- Physical Problem = 81%
- Psychological Problem = 75%
- Drug or Alcohol Problem = 59%

What would you do if you had a drinking or drug problem that interfered with your daily activities?



Treatment Desire and Experience



2012 UMSARC

Sources of Substance Treatment Received

 AA/12-Step Program 	58%
 Alc/Drug Treatment Prog. 	56%
 Hospital/Doctor 	35%
• ER	34%
 Private Therapist 	23%
 Social Service Program 	18%
 Traditional Health Worker 	18%

Factors Associated with Desire for Treatment

- Male
- Over 30
- Unemployed
- Drug user (vs. Alcohol-only user)

Factors Not Associated with Desire for Treatment

- Having health insurance
- Income
- Country of birth
- Acculturation
- Social support
- Motives for drinking


Factors Related to Lower Desire for Treatment

- High School graduate or +
- Married
- Living on Border (vs interior)

Why Lower Desire on Border?

- Less knowledge of what treatment entails
- Not knowing how to get it
- Not thinking SUD needs treatment
- Lack of trust in formal institutions
- Stigma
- Concern re cost, eligibility, etc.


Perceived Barriers as Percentage of Persons Who Wanted but Failed to Receive Care



Treatment: Quick Summary

- Fewer would seek Tx for SUD than for medical or psychological problems
- Most would turn to medical/professional treatment or self-help groups.
- Only a quarter or less who need Tx want it.
- Of those, half have gotten Tx
- Barriers include cost, not knowing where, embarrassment, mistrust of Tx, and logistical issues.

Promotoras




- Trusted community members who provide:
 - Health education and information
 - Liaison to community services
 - Informal counseling
 - Social support & advocacy
 - Mentor, role model

- Training and certification through DSHS
- About 300 in the Valley & 200 in El Paso
- Substance abuse prevention, tobacco cessation, screening & referral, DWI education


- Study of adolescent "cheese" heroin users found parents did not understand detox was not treatment.
- Family did not want to be separated from the child who needed to enter residential treatment.
- Treatment staff not always bilingual and promotoras would have been helpful in translating and explaining what was happening.

Social and Neighborhood Factors Related to Substance Use

Drug Availability and Visibility in Neighborhood, by Site



Drug Trafficking Attitudes, by Site



Bottom Line

- Higher rates of substance problems
- Focus on serving colonias
- People would use professional Tx but barriers remain
- High rates of Rx misuse & DWI
- Use Promotoras
- Retain the best of both cultures

Selected References

- Wallisch, L.S. (1998). 1996 Survey of Substance Use on the Texas-Mexico Border and in Colonias (Austin, TX: Texas Commission on Alcohol and Substance Abuse).
- Wallisch, L. (2004). Methamphetamine use in the 2003 survey of adult substance use on the Texas-Mexico border. *Proceedings of the Border Epidemiology Work Group, September 2004*. (Bethesda, MD: National Institute on Drug Abuse).
- Wallisch, L.S. and Spence, R.T. (2006). Alcohol and drug use, abuse, and dependence in urban areas and colonias of the Texas-Mexico border. *Hispanic Journal of Behavioral Sciences*, 28: 286-307.
- Maxwell, J.C., Cravioto, P., Galván, F., Cortés Ramírez, M., Wallisch, L.S., and Spence, R.T. (2006). Drug
 use and risk of HIV/AIDS on the Mexico-USA border: a comparison of treatment admissions in both
 countries. *Drug and Alcohol Dependence*, 82 (Suppl. 1): S85-S93.
- Spence, R.T. and Wallisch, L.S. (2007). Alcohol and drug use in rural colonias and adjacent urban areas of the Texas border. *The Journal of Rural Health*, *23* (Supplemental Issue): 55-60.
- Spence, R.T., Wallisch, L.S., and Smith, S. (2007). Treatment seeking in Hispanic populations in urban and rural settings on the border. *Alcoholism: Clinical and Experimental Research*, 31:1002-1011.
- Wallisch, L. (2007). Substance Use on the Texas-Mexico Border and in Colonias. *The EpiLink*, 64(2), 1-5 (epilink.org).
- Caetano, R., Ramisetty-Mikler, S., Wallisch, L.S., McGrath, C., and Spence, R.T. (2008). Acculturation, drinking and alcohol abuse and dependence among Hispanics in the Texas-Mexico border. *Alcoholism: Clinical and Experimental Research*, 32: 1-8.

jcmaxwell@sbcglobal.net lynn.wallisch@austin.utexas.edu

